

K E N T

E X T E N S I O N

C O L O N Y

F O R E S T

R E S E R V E

Colony of Sierra Leone.

Public Notice No.52 of 1945

M.P.2239

THE FORESTRY ORDINANCE, 1924

(Cap. 74)

THE COLONY FOREST RESERVE (KENT EXTENSION)
(AMENDMENT) ORDER, 1945

In exercise of the powers conferred upon the Governor by section 11 (3) of the Forestry Ordinance, 1924, the following Order is hereby made:

1. This Order may be cited as the Colony Forest Reserve (Kent Extension) (Amendment) Order, 1945.

2. THE COLONY FOREST RESERVE (Kent Extension) Order, 1938 is hereby revised and modified by the revocation of the Schedule thereto and by the replacement thereof of the following Schedule:-

ALL THAT PIECE OR PARCEL OF LAND situated North of Kent Peninsula in the Colony of Sierra Leone and bounded as follows:-

SCHEDULE

Starting from C.C.S. 6247 the accepted Colony Co-ordinates of which are 564,405.67 feet North and 88,551.20 feet East and which is situated on the South bank of Bure Town River on the north side of the Peninsula Circular Road bridge; thence in a north-westerly direction up the South bank of the said river for 1354.14 feet more or less to C.C.S. 6953 the accepted Colony Co-ordinates of which are 565,269.12 feet North and 89,440.46 feet East; thence on a Colony Bearing of $135^{\circ} 02'$ for a distance of 138.8 feet to C.C.S. 6954; thence on a Colony Bearing of $135^{\circ} 02'$ for a distance of 278.6 feet to C.C.S. 6955; thence on a Colony Bearing of $135^{\circ} 03'$ for a distance of 270.2 feet to C.C.S. 6956; thence on a Colony Bearing of $135^{\circ} 04'$ for a distance of 52.9 feet to C.C.S. 6957; thence on a Colony Bearing of $135^{\circ} 05'$ for a distance of 71.2 feet to C.C.S. 6958; thence on a Colony Bearing of $135^{\circ} 07'$ for a distance of 228.8 feet to C.C.S. 6959; thence on a Colony Bearing of $135^{\circ} 09'$ for a distance of 320.0 feet to C.C.S. 6960; thence on a Colony Bearing of $135^{\circ} 09'$ for a distance of 86.5 feet to C.C.S. 6961; thence on a Colony Bearing of $135^{\circ} 12'$ for a distance of 57.2 feet to C.C.S. 6962; thence on a Colony Bearing of $135^{\circ} 11'$ for a distance of 414.8 feet to C.C.S. 6963; thence on a Colony Bearing of $135^{\circ} 12'$ for a distance of 452.1 feet to C.C.S. 6964; thence on a Colony Bearing of $135^{\circ} 13'$ for a distance of 409.2 feet to C.C.S. 6965; thence on a Colony Bearing of $135^{\circ} 14'$ for a distance of 571.0 feet to C.C.S. 6966; thence on a Colony Bearing of $135^{\circ} 15'$ for a distance of 70.3 feet to Forest Reserve Boundary Stone No.36 the accepted Colony Co-ordinates for which are 562,841.01 feet North and 91,850.98 feet East; thence on a Colony Bearing of $199^{\circ} 09'$ for a distance of 179.0 feet to C.C.S. 6066; thence on a Colony Bearing of $199^{\circ} 51'$ for a distance of 126.8 feet to C.C.S. 6223; thence on a Colony Bearing of $200^{\circ} 40'$ for a distance of 270.1 feet to C.C.S. 6224; thence on a Colony Bearing of $202^{\circ} 46'$ for a distance of 218.8 feet to C.C.S. 6225; thence on a Colony Bearing of $197^{\circ} 47'$ for a distance of 663.4 feet to C.C.S. 6226; thence on a Colony Bearing of $199^{\circ} 03'$ for a distance of 471.1 feet to C.C.S. 6227; ~~thence~~ which is situated on the North side of the Peninsula Circular Road and the provisionally accepted Colony -

Co-ordinates of which are 561,019.81 feet North and 91,212.34 feet East; thence on a Colony Bearing of 197° 43' for a distance of 667.8 feet to C.O.S. 6228; thence on a Colony Bearing of 198° 53' for a distance of 459.6 feet to C.O.S. 6229; thence on a Colony Bearing of 196° 43' for a distance of 201.0 feet to C.O.S. 6230; thence on a Colony Bearing of 198° 42' for a distance of 397.2 feet to C.O.S. 6231; thence on a Colony Bearing of 195° 00' for a distance of 380.8 feet to C.O.S. 6232; thence on a Colony Bearing of 195° 47' for a distance of 169.4 feet to C.O.S. 6233; thence on a Colony Bearing of 198° 17' for a distance of 550.7 feet to C.O.S. 6234; thence on a Colony Bearing of 197° 24' for a distance of 616.1 feet to C.O.S. 6235; thence on a Colony Bearing of 197° 36' for a distance of 584.3 feet to C.O.S. 6236; thence on a Colony Bearing of 198° 52' for a distance of 700.7 feet to C.O.S. 6237; thence on a Colony Bearing of 199° 39' for a distance of 294.0 feet to C.O.S. 6238; thence on a Colony Bearing of 194° 10' for a distance of 276.4 feet to C.O.S. 6239; thence on a Colony Bearing of 199° 48' for a distance of 197.8 feet to C.O.S. 6240; which is at Forest Reserve Boundary Stone No.2; thence on a Colony Bearing of 216° 46' for a distance of 177.3 feet to C.O.S. 6241; thence on a Colony Bearing of 219° 49' for a distance of 199.5 feet to C.O.S. 6242; thence on a Colony Bearing of 243° 01' for a distance of 281.8 feet to C.O.S. 6243; thence on a Colony Bearing of 246° 40' for a distance of 121.8 feet to C.O.S. 6244; thence on a Colony Bearing of 247° 20' for a distance of 95.9 feet to C.O.S. 6245; thence on a Colony Bearing of 247° 35' for a distance of 242.7 feet to C.O.S. 6246; thence on a Colony Bearing of 240° 25' for a distance of 107.2 feet to C.O.S. 6247; thence on a Colony Bearing of 260° 26' for a distance of 171.1 feet to C.O.S. 6248; thence on a Colony Bearing of 241° 46' for a distance of 346.2 feet to C.O.S. 6249; which is at Forest Reserve Boundary Stone No.3; thence on a Colony Bearing of 247° 04' for a distance of 481.7 feet to C.O.S. 6249; thence on a Colony Bearing of 231° 03' for a distance of 311.5 feet to C.O.S. 6250; thence on a Colony Bearing of 230° 22' for a distance of 592.3 feet to C.O.S. 6251; thence on a Colony Bearing of 229° 45' for a distance of 736.0 feet to C.O.S. 6252; thence on a Colony Bearing of 228° 19' for a distance of 119.4 feet to C.O.S. 6273; thence on a Colony Bearing of 229° 24' for a distance of 582.1 feet to C.O.S. 6274; thence on a Colony Bearing of 229° 28' for a distance of 212.5 feet to C.O.S. 6275; thence on a Colony Bearing of 230° 47' for a distance of 504.1 feet to C.O.S. 6276; thence on a Colony Bearing of 231° 03' for a distance of 518.4 feet to C.O.S. 6277; thence on a Colony Bearing of 228° 50' for a distance of 636.2 feet to C.O.S. 6278; thence on a Colony Bearing of 226° 48' for a distance of 264.0 feet to C.O.S. 6279; thence on a Colony Bearing of 226° 35' for a distance of 241.7 feet to C.O.S. 6280; thence on a Colony Bearing of 246° 14' for a distance of 39.1 feet to C.O.S. 6281; thence on a Colony Bearing of 248° 29' for a distance of 105.3 feet to C.O.S. 6282; thence on a Colony Bearing of 251° 57' for a distance of 257.3 feet to C.O.S. 6283; thence on a Colony Bearing of 231° 34' for a distance of 153.4 feet to C.O.S. 6285; the accepted Colony Co-ordinates of which are 551,437.21 feet North and 83,471.77 feet East and which is at Forest Reserve Boundary Stone No.4; thence on a Colony Bearing of 310° 00' for a distance of 121.7 feet to C.O.S. 6287; thence on a Colony Bearing of 318° 15' for a distance of 239.4 feet to C.O.S. 6288; thence on a Colony Bearing of 313° 14' for a distance of 259.8 feet to C.O.S. 6289; thence on a Colony Bearing of 314° 35' for a distance of 252.0 feet to C.O.S. 6290; thence on a Colony Bearing of 315° 27' a distance of 506.1 feet to C.O.S. 6291; thence on a Colony Bearing of 313° 25' for a distance of 345.9 feet to C.O.S. 6292; thence on a Colony Bearing of 318° 59' for a distance of 145.2 feet to C.O.S. 5936; thence on a Colony Bearing of 314° 40' for a distance of 267.8 feet to C.O.S. 5937; the accepted Co-ordinates of which are 552,943.35 feet North and 81,958.76 feet East and which is at Forest Reserve Boundary Stone No.5; thence on a Colony Bearing of 19° 38' for a distance of 134.0 feet to C.O.S. 5938; thence on a Colony Bearing of 19° 54' for a distance of 275.4 feet to C.O.S. 5939;

thence on a Colony Bearing of $19^{\circ} 54'$ for a distance of 275.4 feet to C.O.S. 5939; thence on a Colony Bearing of $19^{\circ} 24'$ for a distance of 109.7 feet to C.O.S. 5940; thence on a Colony Bearing of $20^{\circ} 00'$ for a distance of 411.4 feet to C.O.S. 5941; thence on a Colony Bearing of $19^{\circ} 45'$ for a distance of 650.7 feet to C.O.S. 5942; thence on a Colony Bearing of $20^{\circ} 41'$ for a distance of 201.4 feet to C.O.S. 5943; thence on a Colony Bearing of $20^{\circ} 49'$ for a distance of 189.7 feet to C.O.S. 5944; the accepted Co-ordinates of which are 554,796.54 feet North and 82,632.75 feet East and which is at Forest Reserve Boundary Stone No.6; thence in a westerly direction down the South bank of Hambee Brook for a distance of 3,174.9 feet to High Water Mark on the Atlantic Ocean; 20 feet West of C.O.S. 5955 which is at Forest Reserve Boundary Stone No.7; thence in a general northerly direction along the said High Water Mark for 1479.1 feet to C.O.S. 5968 the accepted Colony Co-ordinates of which are 558,047.80 feet North and 88,405.74 feet East and which is at Forest Reserve Boundary Stone No.8; thence on a Colony Bearing of $82^{\circ} 21'$ for a distance of 132.8 feet to C.O.S. 5969; thence on a Colony Bearing of $85^{\circ} 08'$ for a distance of 760.1 feet to C.O.S. 4338; which is at Forest Reserve Boundary Stone No.9 and situated on the Western side of the hammock path from Bure Town to Kent; thence on a Colony Bearing of $356^{\circ} 36'$ for a distance of 334.0 feet to C.O.S. 4353 thence on a Colony Bearing of $55^{\circ} 12'$ for a distance of 270.0 feet to C.O.S. 4337; thence on a Colony Bearing of $74^{\circ} 49'$ for a distance of 439.5 feet to C.O.S. 4362; thence on a Colony Bearing of $15^{\circ} 49'$ for a distance of 327.2 feet to C.O.S. 4372; thence on a Colony Bearing of $40^{\circ} 48'$ for a distance of 252.1 feet to C.O.S. 4373; thence on a Colony Bearing of $52^{\circ} 13'$ for a distance of 424.6 feet to C.O.S. 4332; thence on a Colony Bearing of $32^{\circ} 33'$ for a distance of 134.9 feet to C.O.S. 4333; thence along the Eastern side of the aforementioned hammock path in a north-easterly direction for a distance of 50 feet to its junction with the West bank of a stream; thence along the western bank of the stream for 1145.8 feet to C.O.S. 5974 the Colony Co-ordinates of which are 558,653.61 feet North and 83,033.45 feet East and which is at Forest Reserve Boundary Stone No.11; thence on a Colony Bearing of $22^{\circ} 34'$ for a distance of 383.0 feet to C.O.S. 5976; thence on a Colony Bearing of $20^{\circ} 24'$ for a distance of 187.5 feet to C.O.S. 6035; thence on a Colony Bearing $21^{\circ} 54'$ for a distance of 370.7 feet to C.O.S. 6036; thence on a Colony Bearing of $21^{\circ} 24'$ for a distance of 345.4 feet to C.O.S. 6037; which is at Forest Reserve Boundary Stone No.12; thence on a Colony Bearing of $319^{\circ} 47'$ for a distance of 654.4 feet to C.O.S. 6038; thence on a Colony Bearing of $329^{\circ} 47'$ for a distance of 129.4 feet to C.O.S. 6039; thence on a Colony Bearing of $317^{\circ} 35'$ for a distance of 180.2 feet to C.O.S. 6040; which is at Forest Reserve Boundary Stone No.13; thence on a Colony Bearing of $07^{\circ} 30'$ for a distance of 491.0 feet to C.O.S. 6041; thence on a Colony Bearing of $16^{\circ} 45'$ for a distance of 333.5 feet to C.O.S. 6042; thence on a Colony Bearing of $12^{\circ} 53'$ for a distance of 419.9 feet to C.O.S. 6043; thence on a Colony Bearing of $09^{\circ} 34'$ for a distance of 371.8 feet to C.O.S. 6044; thence on a Colony Bearing of $11^{\circ} 18'$ for a distance of 462.1 feet to C.O.S. 6045; thence on a Colony Bearing of $10^{\circ} 05'$ for a distance of 104.5 feet to C.O.S. 6046; which is at Forest Reserve Boundary Stone for a distance of 50 feet to High Water Mark on the southern bank of Bure Town River; thence along the aforesaid High Water Mark and the southern bank of the Bure Town River for 7683.2 feet to C.O.S. 6947 which is the Starting Point the same as is delineated on S.L.S Plan No. 38/44 and thereon more particularly shown verged RED.

This 26th day of May, 1945.

HUBERT STEVENSON
Governor.

