

SECTION 1: Identification of the substance / mixture and of the company / undertaking.

1.1. Product identifier

Product name: Guystrip

Tradename: Thermoset Melamine Amino Plastic Media.

UFI: Not Known

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Blast cleaning abrasive for industrial use.

Blasting media for the removal of coatings from Aluminium

and composite components without damaging the

substrate.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier: Guyson International Ltd.

Snaygill Industrial Estate, Skipton, North Yorkshire.

BD23 2QR

Tel: +44 (0)1756 799911

E-mail <u>info@guyson.co.uk</u>

1.4. Emergency telephone number

Emergency contact number: Tel: +44 (0)1756 799911

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation

Not classified.

Inert Melamine Amino polymer does

not meet the criteria for classification.

(EC) No. 1272/2008 [CLP] and REACH regulations 1907/2006.

No special conditions are therefore

needed.

Adverse physicochemical, human health and environmental effects

Risk management measures due to the potential occurrence of hazardous dust

during use as an abrasive may be

needed.

Full text of H- and EUH-statements:



The material is not considered hazardous in normal use but the following potential hazards should be recognised.

Dust - inhalation

Skin irritation in susceptible individuals

Noxious fumes may evolve during fire

2.2. Label elements

Labelling according to Regulation (EC)

No. 1272/2008 [CLP]

None

Hazard pictograms (CLP)

No additional information available

Signal word (CLP)

No additional information available

Hazard statements (CLP)

No additional information available

Precautionary statements (CLP)

No additional information available

EUH-statements No additional information available

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Inert Thermoset melamine Amino Polymer

There are no CAS or EC numbers for Thermoset Melamine Amino Polymer in its entirety. Numbers for the

constituent parts/compounds are

shown below.

3.2. Mixtures

Compound	Typical Content %	CAS No	EINECS No
Thermoset Melamine Amino Polymer	66-70	9003-08-1	N/A
Cellulose	30-33	9004-34-6	232-674-9
Titanium Dioxide (Pigments)	<0.8	13463-67-7	236-675-5
Iron Oxide	<0.01	1309-37-1	215-168-2
Zinc Stearate	<0.01	557-05-1	209-151-9
Barium Sulfate	<0.01	7727-43-7	231-784-
Lankrostat ® QAT, Anti-static solution	<0.001	68989-03-7	

SECTION 4: First aid measures

GHSM001 HS36 **Revision Date: Sept 2023 Issue No 10 Page** 2 of 14



4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

attention if symptoms occur Monomeric vapours of heated up media may cause dizziness, headaches and mood swings.

Remove to fresh air. Get medical

First-aid measures after eye contact

Substance is not an eye irritant. Use general measures if eye irritations occur. Do not rub eyes. Immediately wash with plenty of water. Check for and remove any contact lenses. If irritation persists, get medical attention. Monomeric vapours of heated up media may cause eye irritation.

First-aid measures after Skin contact

Substance is not a skin irritant and not a skin sensitiser. Wash with water and soap. Remove contaminated clothing and footwear, Get medical advice if symptoms occur. As with any industrial product, contact with skin can cause irritation leading in some cases to dermatitis and it is wise to take the usual precautionary measures of obtaining medical clearance for employees who have a history of skin disease or allergy. The use of an emollient such as white petroleum jelly (Vaseline) is useful to minimise dryness of the skin if it occurs.

First-aid measures after ingestion

The material should not be ingested and for this reason the preparation and consumption of food and drink in working areas should not be allowed. Wash mouth out if appropriate. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

The product may cause temporary mechanical irritation.

Eyes, Nose, Throat and Lungs.

4.3. Indication of any immediate medical attention and special treatment needed

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 3 of 14



Notes for the doctor. No specific advice. Treat according to

symptoms present.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media CO2, powder or water mist.

Unsuitable extinguishing media Do not use water jets.

5.2. Special hazards arising from the substance or mixture

Unusual fire & explosive hazards

This product will not ignite unless

suspended as dust in sufficient concentration in air, in which case for decomposition and explosion limits

refer to section 10.

5.3. Advice for firefighters

Firefighting instructions: Wear self-contained breathing

apparatus.

Protection during firefighting : Protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. Non-emergency personnel Operators & Ensure adequate ventilation. Avoid

staff breathing dust. Use appropriate

personal protective equipment.

Observe occupational exposure limits

detailed in section 8.

6.1.2. For emergency responders Fire Marshall Ensure adequate ventilation. Avoid

breathing dust.

Protective equipment: PPE & RPE Observe occupational exposure limits

detailed in section 8.

Emergency procedures: Emergency evacuation procedure as

appropriate to level of hazard.

6.2. Environmental precautions

Spill Make sure spills can be contained. Do

not allow to enter into surface water or drains. Do not allow to enter into

soil/subsoil.

6.3. Methods and material for containment and cleaning up

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 4 of 14



Methods for cleaning up Ventilate the area thoroughly. Vacuum

or sweep up material and place in a suitable container for re-cycling or

disposal.

6.4. Reference to other sections

Section1 Emergency contact information.

Section 8 Personal protective equipment.

Section 13 Waste Disposal

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Inert Thermoset melamine Amino Polymer is not classified and no protective measures are needed for

safe handling.

Prevent formation of dust.
Use only in well ventilated areas.
Wear personal protective clothing.
Wash hands and face before breaks and

after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep dry.

Product is flammable thermoplastic which burns with great heat.

High dust concentration could form an

explosive mixture with air.

Incompatible products

No additional information available

Incompatible materials No additional information available

7.3. Specific end use(s)

Abrasive blast cleaning may fracture

the product and generate dust.

Ventilate work area in vicinity of

operator.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure limit values

All dusts have been assigned exposure limits. The following information has been taken from

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 5 of 14



Guidance Note EH40/2005 from the Health and Safety Executive (Occupational Exposure Limits 2005).

For	CONTENT (%)	CAS NO.	EINECS NO.	Inhalable	Respirable
Thermoset Melamine Amino Polymer	66-70	9003-08-1	N/A	10 mg/m³	4 mg/m³
Cellulose	30-33 232-	9004-34-6	674-9	10 mg/m ³	4 mg/m ³
Titanium Dioxide TiO ₂	<0.80	13463-67-7	236-675-5	10 mg/m³	4 mg/m³
Iron Oxide Fe ₂ O ₃	0.20	1309-37-1	215-168-2	-	5 mg/m³
Zinc Distearate	<0.01	557-05-1	209-151-9	10 mg/m³	4 mg/m³
Barium Sulfate	<0.01	7727-43-7	231-784-	10 mg/m ³	4 mg/m³
Lankrostat® QAT, Anti- static solution	<0.002	68989-03-7	N/A		

8.1.2. Recommended monitoring procedures

HSE - G409 Air sampling

8.1.3. Air contaminants formed

Dust

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Dust extraction:



Preferred methods of use are either in a blast cabinet with a dust collector or in a closed-circuit blasting system.

If a blast room is used it must have a dust extraction system to keep dust levels below the occupational exposure limits.



8.2.2. Personal protection equipment

Blast Cabinet General body: With normal use body protection by half or full-body coverall and safety boots are required. Inhalation: Blast cabinet operation - no personal respiratory protection is necessary as all dust should retained inside the system. Calculate & observe dust clearance times of the blast chamber before opening any door. A breathing mask is to be worn when handling dust or cleaning out the system. (FFP2) Eye: Safety glasses or tight-fitting protective goggles. EN 166 Skin: Appropriate blast gauntlets to protect against abrasion. **Blast Room** General body: Blasting operatives should wear CE marked approved PPE: Blasting helmet. Blasters' suit. Blast gauntlets. Inhalation: Calculate & observe dust clearance times of the blast chamber before opening any door or removing PPE / A breathing mask is to be worn when handling dust or cleaning out the system. (FFP2) **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Granulate

Colour White / Grey / Multi-coloured

Odour Slight fishy smell

Odour threshold None

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 7 of 14



Melting point450°CFreezing pointNot KnownBoiling pointNot KnownFlammabilityFlammableLower explosion limit60g/m3Upper explosion limit60g/m3Flash point475°C

Auto-ignition temperature Not determined

Decomposition temperature 450°C

pH 5.5 - 7 (at 250g/I H2O at 20°C)

Kinematic viscosity

Solubility

Not Known

Not Soluble

Partition coefficient n-octanol/water

Not Known

(log value)

Vapour pressure Not Known

Density and/or relative density

Bulk 0.70g/m3 - Relative 1.50g/cm3

Relative vapour density
Particle characteristics
Not Known
Solid

Other information

Hardness 3.0 - 3.5 Moh

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Product is a self-extinguishing Ignitable by flame or temperature

thermosetting plastic. above decomposition point.

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Not applicable. None reactive

10.2. Chemical stability

Stable Under normal conditions

10.3. Possibility of hazardous reactions.

Product is a self-extinguishing Ignitable by flame or temperature thermosetting plastic. Ignitable by flame or temperature above decomposition point.

10.4. Conditions to avoid.

GHSM001 HS36 **Revision Date: Sept 2023 Issue No 10 Page** 8 of 14



Excessive thermal exposure to decomposition point.

450°C

10.5. Incompatible materials.

Avoid Very strong acids, bases and oxidising

agents.

10.6. Hazardous decomposition product

At temperatures above decomposition point.

Smoke containing CO, CO2, NOx. CH2O

and NH3 can be given off.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Extremely low order of toxicity.

Acute toxicity (dermal) Powders can be irritants for particularly

sensitive subjects.

Acute toxicity (inhalation) Can cause irritation to respiratory tract

List

Compound	Typical Content %	CAS No	EINECS No
Thermoset Melamine Amino Polymer	66-70	9003-08-1	N/A
Cellulose	30-33	9004-34-6	232-674-9
Titanium Dioxide (Pigments)	8.0>	13463-67-7	236-675-5
Iron Oxide	<0.01	1309-37-1	215-168-2
Zinc Stearate	<0.01	557-05-1	209-151-9
Barium Sulfate	<0.01	7727-43-7	231-784-
Lankrostat ® QAT, Anti-static solution	<0.001	68989-03-7	

11.2. Information on other hazards

No hazardous product as specified in Directive 67/548/CE (CLP) and OSHA (Federal Hazard Communication Standard).

According to our present knowledge, no adverse health effects are expected when the product is handled and used with due care and attention, in the intended field of application.

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

No additional information available

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 9 of 14



SECTION 12: Ecological information

12.1. Toxicity

(acute) LC50 96h fish>4500kg/l. Low toxicity

Hazardous to the aquatic

for marine organisms. This data environment, short-term.

pertains to uncured moulding powder; toxicity for cured product is expected to

(chronic) be even lower. The final product is

manufactured from cured inert

mouldings.

Hazardous to the aquatic environment, long-term.

List

12.2. Persistence and degradability

Biodegradability. Low

12.3. Bioaccumulative potential

bio-accumulation None expected

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Has not been conducted and no **Environmental Testing:**

> information has been found in a search of literature for moulded product. The above toxicological and ecological data

relates to uncured moulding powders.

These products do not contain any substances that are classified under EC legislation for environmental effects.

SECTION 13: Disposal considerations

GHSM001 HS36 **Revision Date: Sept 2023** Issue No 10 Page 10 of 14



13.1. Waste treatment methods

Product/Packaging disposal recommendations

Recycle the product & packaging when possible.

Ecology - waste materials

The abrasive must be disposed of in accordance with national legislation and local regulations.

The material as supplied is classed as a non-hazardous inert solid waste.

Spent abrasive used as a blasting medium must be disposed of under classification 12 01 16 (waste blasting material containing dangerous substances) or 12 01 17 (waste blasting material other than those mentioned in 12 01 16).

The waste producer must determine if hazardous substances in the coating being removed are likely to cause the waste to be hazardous.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

No additional information available

14.2. UN proper shipping name

No additional information available

14.3. Transport hazard class(es)

Not Applicable

14.4. Packing group

No additional information available

14.5. Environmental hazards

Not Applicable

GHSM001 HS36 **Revision Date: Sept 2023 Issue No 10 Page** 11 of 14



14.6. Special precautions for user

Overland transport ADR

Classification code
Special provisions
Limited quantities
Excepted quantities
Packing instructions
Special packing provisions
Mixed packing provisions
Transport category

Special provisions for carriage -

Packages

Special provisions for carriage -Loading, unloading and handling Special provisions for carriage -

Operation

Tunnel restriction code

Not classified according to Transport Regulations for Hazardous/Dangerous

Goods

Transport by sea IMDG

Special provisions
Packing instructions
Special packing provisions

EmS-No.

S-U Stowage category Stowage and handling

Segregation

.....

Fire Not classified according to Transport
Spillage Regulations for Hazardous/Dangerous

Goods

Air transport IATA

PCA Excepted quantities PCA Limited quantities

PCA limited quantity max net quantity

PCA packing instructions
PCA max net quantity
CAO packing instructions
CAO max net quantity

Special provisions ERG code

Not classified according to Transport Regulations for Hazardous/Dangerous

Goods

Inland waterway ADN

transport Classification code

Special provisions
Limited quantities
Excepted quantities
Equipment required

Ventilation

Number of blue cones/lights

Not classified according to Transport Regulations for Hazardous/Dangerous

Goods



Rail transport RID

Classification code Special provisions Limited quantities

Excepted quantities

Packing instructions
Special packing provisions

Mixed packing provisions

Transport category

Special provisions for carriage –

Packages

Special provisions for carriage -Loading, unloading and handling Colis express (express parcels) Hazard identification number Not classified according to Transport Regulations for Hazardous/Dangerous

Goods

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

None hazardous The product is not hazardous according

to Directive 67/548/CE and 199/45/CE,

OSHA's Federal Hazard.

15.1.1. EU-Regulations

No additional information available

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

labelling Not subject to labelling in accordance

with current regulations in force.

SECTION 16: Other information

Data sources REACH Regulation: The products

detailed herein are exempt for registration under REACH criteria (European Regulation 1907/2006) on

GHSM001 HS36 Revision Date: Sept 2023 Issue No 10 Page 13 of 14



the basis they are (i) recycled materials and (ii) polymers,

Other information

No additional information available

Disclaimer

It remains the users own responsibility to ensure that the information contained is appropriate for the use of this product.

The information contained herein is to the best of our knowledge accurate, however, as circumstances and conditions in which it may be used are beyond our control, we do not accept liability for any loss or damage, however arising, which results directly or indirectly from the use of such information.