STOCK SHOT NATURAL GAS FLÁRING OFF ROARING FLAMES, AN IMPRÉSSION OF COLOSSAL ENERGY, THE IMAGES OCCUPY FULL SCREEN RATIO. AT A SUITABLE MOMENT, THE CAMERA PULLS BACK TO REVEAL THE PRESENTER SITTING IN AN EDITING SUITE VIEWING A TV MONITOER. HE TURNS TO TO CAMERA

(The presenter should not be like a news reader. He should be natural, relaxed, informal. He should be able to make points with intellectual conviction which does not exclude the use of irony or wit.) TO CAMERA SYNC

Natural gas! Listen to the roar of this energy. Why does gas in certain locations get flared off? There's no need to warm up the desert. You don't burn off good energy if you can help it. The conclusion is straightforward. In many countries, the commercial value of natural gas cannot be realized.

There are two possible explanations. Either the cost of distribution is too high, or the nearby market is too small.

asbook shot STOCKSHOT NORTH SEA GAS PIPELINE IN THE CONSTRUCTION PHASE EMERGING FROM THE SEA. PAN OFF TO ON-SHORE PUMPING STATION.

v.o. By contrast, North Sea gas is comercially valuable only because it is near 💋 large concentration of consumers.

STOCKSHOT / PIPELINE DISAPPEARS GROUND

investment in winning ibuting the gas is SHI

STOCKSHOT GAS COOKER TURNIN

ethermal energy of the 940 🕶 compete with electricity generated from coal, oil or nuclear fuels.

INTERIOR EDITING SUITE CAMERA PULLS BACK FROM SCREEN TO REVEAL PRESENTER WHO TURNS TO SPEAK TO CAMERA

SYNC TO CAMERA

But most of the natural gas in the world is left in the ground. For this, of course, there are no pictures.

5. CONTINUED GESTURE OF THE HANDS, ONE GOING UP THE OTHER GOING DOWN

People in the hydrocarbon business know that oil reser are declining while gas reserves are increasing. The implications of this projected to the end of the century and into the next warrant a new look at natural cas.

Natural gas can already be turned into methanol and gasoline. But could natural gas be exploited as a feed stock for a range of middle distillates that are normally produced from petroleum?

Could natural gas substitute for

GRAPHICS --TITLE

TURNING NATURAL GAS INTO MIDDLE DISTILLATES

MUSIC FANFARE OR FLOURISH TO BRIDGE INTO THE TITLE.

my

EXTERIOR LDC COUNTRY A BULLOCK CART OR SOME OTHER FORM OF TRADITIONAL TRANS-PORTATION IS IN FOREGROUND. BY PANNING OR PULLING FOCUS. ATTENTION SHIFTS TO A MODERN HIGHWAY AND THE COMMERCIAL DIESEL FUELLED TRAFFIC WHICH OVERTAKES IT.

THE SHOT EMPHASIZES THE TRANS-FORMATION OF TRADITIONAL WAYS BY MODERN TRANSPORTATION. LOCATION MUST BE UNDERSTOOD TO BE ABOVE OR NEAR KNOWN, UNEX-PLOITED RESERVES OF NATURAL GAS.

GRAPHICS SUPER OVER THE SHOT A SUBTITLE--"THE STATUS QUO"

ADO FLIES IN NEXT SHOT

V.O.

Many developing countries which have little or no crude oil have a growing need for diesel and middle distillates. What if local reserves of natural gas could supply fuels which today have to be imported?

TheLand Mist Provide 7

EXTERIOR WELL-HEAD STOCKSHOT A well established production well head with a refinery or storage tanks in the background. Pan or cut to gas flaring off. Consider aerial

8.

& Frek Sha Rionomison V.O.

Some countries have dwindling oil reserves but ample reserves of natural gas. What if this waster Unerplake gas could replace some of the petroleum feed stock? Spare crude could then be traded on the international market.

EXTERIOR CITY (STOCKSHOT) A city scape in Australia or New Zealand. A view of a bridge or an inner city motorway with heavy traffic.

ADO FLIES IN NEXT SHOT

Many developed countries with little or no crude oil import refined petroleum products to meet their domestic consumption. The same countries sometimes have important reserves of natural gas with no exploitable commercial value. What if it could be refined into middle distillates and reduce imports?

ADO FLIES IN NEXT SHOT

10.

ADO INSETS PICTURES IN THE PREVIOUS BACKGROUND SHOT

as the flame.

Natural gas flafing off. Barren landsøape under which Will lie large peserves of naturally gas.

The bod purt found from what former was and the server of the server of

v.o.

the status of a turning one. Around the world there are numerous reserves of this gas which are left in the ground or flared off. Should we think of them as worthless, or should we think of them as potentially valuable reserves simply waiting for a technology, a missing link, to bridge the gap and make them commentically exploitable?

11. MONTAGE OF STOCKSHOTS BUILDING UP AN IMPRESSION OF SHELL RESEARCH

GRAPHICS SUB-TITLE SUPER "THE RESEARCH STORY" COMPUTER GRAPHICS OF CAD/ CAM OF MALAYSIA PLANT ROTATING V.O.

The quest for a technology that would make this gas commercial has pre-occupied scientists at Shell research laboratories for many years. MUSIC BRIDGE

INTERIOR EDITING SUITE PRESENTER TO CAMERA. HE TURNS TO LOOK AT IMAGES OF KSLA AMSTERDAM ONE THE MONITOR. ZOOM INTO SCREEN AND CUT TO

(PRESENTER TO CAMERA) Let's go

to Amsterdam.

13. SYNC TO CAMERA KSLA AMSTERDAM (A TIGHTLY EDITED QUOTE FROM SHELL PRESENTER INTERVIEWS RESEARCH DIRECTOR, DR. ABBOTT DR. ABBOTT GIVING US SOME INSIGHT INTO THEIR LINES OF ENQUIRY AND A FEELING FOR THE RISK TAKING INVOLVED.) V.O. -INTERIOR AMSTERDAM PLANT We are looking at a pilot r built by Shell. In one end goes CUT TO natural gas. Out the other end comes . . . WITH THE PILOT PLANT AS BACKGROUND, INSET SHOT OF NAPTHA OUTPUT AND AN APPLICATION OF IT 16. V.O. WITH A DIFFERENT SHOT OF THE PILOT PLANT AS BACKGROUND . . . gasoil . . . INSET SHOT OF GASOIL OUTPUT. STICK INSET SHOT OF DIESEL TANKER. ORAM 17. . V.O. INSET A SHOT OF PARAFFIN . . kerosene . . . DRIPPING INTO A JAR. A TECHNICIAN HOLDS UP THE JAR. PAN OFF TO SYNC TO CAMERA PRESENTER TO CAMERA PICKS UP . . . oh and water. / A JAR OF WATER POURS IT INTO Theo TA GLASS AND DRINKS IT OR POURS IT ONTO A POTTED PLANT. 19. SYNC TO CAMERA INTERIOR OF CONTROL ROOM What we see taking shape is PRESENTER WALKS INTO SHOT a technology that is known as AND SPEAKS TO CAMERA Shell Middle Distillate Synthesis. We'll call it SMDS for short.

20. MIGRAPHICS SUBTITLE SUPER GRAPHICS SUBTITLE SUPER It has three stages. First, you partially oxidise natural gas to COMPUTER GRAPHICS VISUALS OF produce

V.O.

20.CONTINUED A MOLECULAR STRUCTURE IN 3-D BUT SCHEMATIC RATHER THAN ULTRA ACCURATE, FLY IN THE CHEMICAL SYMBOLS AND BUILD THE as the Shell Gasification EQUATION CH4 + 1/2 02. THE MOLECULE NOW RE-ARRANGES ITSELF AND IT IS NOW COT + 2H2.

synthesis gas or syngas--a mixture of carbon monoxide and hydrogen. This is known Process or SGP for short.

21. GRAPHICS THE MOLECULE NOW RE-ARRANGES INTO THE STRUCTURES THAT CORRESPOND TO C1, C2, GASOIL, KEROSINE AND PARAFFIN.

Stage two, known as Heavy Paraffin Synthesis or HPS converts carbon monoxide and hydrogen directly into paraffins.

22. GRAPHICS TRACK IN 3-D OVER THE FRACTURED MOLECULES

V.D. A range of different sized molecules results--from methane, which contains only one carbon atom, to wax, which contains up to 50 Cambridge.

23. GRAPHICS THE MOLECULES OF PARAFFIN NOW RE-ARRANGE INTO GASOIL AND KEROSINE MOLECULES

v.o. The third stage of SMDS involves cracking the long, heavy wax molecules to yield the desired middle distillate products. This is called Heavy Paraffin Conversion, or HPC for short.

24. EXTERIOR LOCATION A SHOT OF EXISTING PLANT OR EXISTING PROCESS

V.O. Shell already has a tried and tested technology of hydroconversion to do this job.

25. GRAPHICS BUILD UP SGP + HPS + HPC = SMDS

V. O. Treat the natural gas; synthesize middle distillates plus paraffin; convert paraffin to more middle distillates. Where's the secret?

26. GRAPHICS SUBTITLE "THE BREAKTHROUGH"

MUSIC BRIDGE

mmiz

27. COMPUTER GRAPHICS SLIDE IN THE FISCHER-TROPSCH EQUATION n(CD + 2H2)-->(-CH) + nH20 + HEAT. THE POINT IS

V. O. Since the 1930's when the technology of Fischer Tropsch catalysis was first invented. everybody has wanted fihe long

27.CONTINUED
NOT TO STUDY THE EQUATION BUT
TO CREATE ANIMATION SO THAT IT
COLLIDES WITH THE MOLECULE
AND PRODUCES FRACTIONS THAT
GO TO DIFFERENT PARTS OF THE
SCREEN UNDER LABELS

chain molecules that middle distillates are made of and not the smaller lighter molecules butance and propane, the very constituent

natural gas that the

process is trying to conver

28.
COMPUTER GRAPHICS
A GRAPH OF THE ALPHA VALUES

V.O.
The probability of chain growth in this process is expressed as a value 'alpha.' Catalysts that have low alpha values produce more smaller molecules.

COMPUTER GRAPHICS
THE SAME GRAPH WITH ANIMATION
TO EXPRESS THE LOW END OF THE

V.O.
The commercial application of
Fischer Tropsch catalysis has
always been thwarted by low alpha
values.

EXTERIOR. AMSTERDAM RESEARCH

V.O. Scientists at Shell's Amsterdam laboratories have . . .

INTERIOR C.U. GRANULES INSET

V.D.
. . . developed a catalyst with very high alpha values.

GRAPHICS SHOWING ALPHA
DIAGRAM WITH ANIMATION TO
EXTEND THE CHART AND SHOW
IMPROVED YIELD.

V.O.
This important technological breakthrough means that the formation of long chain, heavy wax molecules can be significantly increased . . .

33. GRAPHICS ANIMATION OF CHART V.O.

. . . because the catalyst is highly selective for middle distillate and wax production and minimizes the production of smaller molecules.

34.
INTERIOR AMSTERDAM PLANT
PAN DOWN COLUMN OF GRANULES
FLY OUT C.U. OF GRANULES
FLY NEXT IMAGE OUT OF COLUMN

V.O.

Syngas at the right temperature and pressure is passed through a column packed with granules of the new catalyst.

Theof

INTERIOR AMSTERDAM PLANT WIDE SHOT OF ELECTRON

MICROSCOPE.

C.U. OF MONITOR SCREEN.

V. O.

Seen under the electron microscope, these apparently featureless granules reveal a complex infrastructure.

INTERIOR AMSTERDAM PLANT ₩BIG MAGNIFICATION OF THE GRANULES

Their effectiveness depends on the pore diameter, measured in millionths of a millimetre, and the precise combination of metals that coats them.

37.

INTERIOR AMSTERDAM PLANT A GRAM OF THE GRANULES IN A HEAP IN THE MIDDLE OF A MARKED OUT SQUARE OF TEN METRES. ZOOM FROM C.U. OF GRANULES IN THE HAND OF THE PRESENTER TO WIDE SHOT OF HIM STANDING IN THE SQUARE.

V.O.

Each gram of the catalyst has an effective surface area of 100 square metres.

INTERIOR AMSTERDAM PLANT PRESENTER TO CAMERA

SYNC TO CAMERA

This is one reason for the very high conversion yields that can be achieved with a small volume of catalyst. The elegance of the SMDS technology lies in putting together two processes.

39.

GRAPHICS -REPLAY MOLECULAR STRUCTURE FORMING LONG CHAINS

V.O.

High alpha values in HPS and highly selective cracking in HPC minimise the formation of small gas molecules.

GRAPHICS

REPRESENT MOLECULE BY VOLUME

SUPER FIGURE OF/90%

V.0

The result can be as high as 90% selectivity for middle distillate products.

DIESEL TANKER FILLING AT REFINERY

Johnson

The three stage process also allows a high degree of flexibility in plant output.

- 8 -42. V. B. GRAPHICS SUPERIMPOSED ON It can be run to favour gasoil PREVIOUS SHOT TO SHOW IN production FIGURES THE PRODUCT BREAK DOWN: 60% GASOIL, 25% KEROSINE AND 15% NAPTHA. 43. GRAPHICS SUPERIMPOSE ON SHOT . . . or it can be run to favour OF TANKER REFUELLING ALRCRAFT kerosine production. SYNC TO CAMERA PRESENTER TO CAMERA The quantum leap in efficiency of production together with this flexibility to adjust to market requiremental commerciant SYNC TO CAMERA INTERVIEWS ON CAMERA (Tightly edited interviews with THE PRESENTER IN VISION. Roland Williams and Dr. Abbott, giving us an insight into the thinking which led from pure research to industrial innovation and into the decisions which led to results.) GRAPHICS SUBTITLE MUSIC BRIDGE "TESTING THE PRODUCTS" 47. KCLA MUSTERDAM
INTERIOR THORNTON There is enother SCIENTIST POURING OUT GASOIL bonus 🚣n SMDS technology., FROM BEAKER FOR TESTING, the natural ga POURING OUT CONVENTIONAL feedstock · GASOIL. middle distillates 🚗 PRESENTER OR SCIENTIST SMELLS of exceptional purity. THE TWO SAMPLES AND REACTS. They are virtually without odour. EXTERIOR THORNTON At the Thornton Research Centre in England . . . 49. v.o.

INTERIOR THORNTON
MONTAGE OF TESTS OF CETANE
NUMBER, VISCOSITY, COLD FLOW,
DENSITY.
ON EACH ACTIVITY SUPERIMPOSE
A COMPARISON RESULT IN
NUMBERS OF EACH JEST.

. . . Shell scientists have measured the properties of SMDS produced gasoil against the conventional product. The SMDS gasoil exceeds the requirements of today's diesel fuel market.

KSLA Amoterdan

INTERIOR THORNTON

TECHNICIAN POURS BEAKER OF SMDS GASOIL INTO ORDINARY SUPERIMPOSE GRAPHICS GASOIL. SHOWING LINEAR BLENDING GRAPH V.O. It has the linear blending characteristics of conventional refinery produced gascil.

ж втосквнот

50.

new bus fold of blacks

This means it can be used to **g** upgrade poorer fuels to quit loc Product and local marketer to the quality oreginements of

52. SHELL TANKER APPROACHES AIR-CRAFT ON TARMAD AND BEGINS REFUELLING.

V. D. Airline traffic is increasing and the demand for aviation kerosine is growing. The specification for Jet A-1 aviation fuel is rigorous.

53, INTERIOR THORNTON WABENCH TEST OF KEROSINE FLAME

v.o. The height to which a kerosine flame can be raised before it begins to smoke, its smoke point, indicates its tendency to produce soot on combustion.

54. INTERIOR THORNTON BENCH TEST OF SMDS KEROSINE

V.O. Aviation requirements are that it should not smoke below 19 millimetres. SMDS kerosine does not smoke before 110, exceeding the specification by six times.

55. INTERIOR THORNTON MONTAGE OF TEST BED, SENSORS COMBUSTORS. SOOT-DAMAGED COMBUSTORS.

v.o. The Thornton Research Centre uses full scale combustors and the most sophisticated equipment to test jet fuel. Sensors inside the combustor measure thermal radiation and exhaust emissions.

MO INTERIOR THORNTON COMPARISON OF COMPUSTOR USING SMDS FUEL.

v.o. SMDS kerosine generates four times less soot than do ordinary fuels.

57. INTERIOR THORNER SHOT OF MIXING SMDS WITH AN ORDINARY KEROSINE. COLOUR DIFFERENCE IS EVIDENT. WITH GRAPHICS SUPERIMPOSITION, SHOW GRAPH OF BLENDING CHARACTER-ISTICS.

V.O. When you mix it with refinery produceá kerosines which do not meet the stringent requirements for Jet A-1 fuels, you get an u**s**pgraded product due to the linear blending characteristics of SMDS kerosine,

58. EXTERIOR AMSTERDAM IMPRESSION OF SIZE AND COM-PLEXITY BUILT UP WITH DETAIL FRAMING FIXED BED REACTORS. CONTROL ROOM SHOTS SHOW THE DEGREE OF PRE-INDUSTRIAL STAGE DEVELOPMENT.

v. o.

The industrial scale pilot plant in Amsterdam was built to prove the catalyst and verify operational technology. The long catalyst life and stability admit the use of well established multi-tubular fixed bed reactors for the Fischer-Tropsch synthesis.

INTERIOR AMSTERDAM CAD/CAM IMAGES ROTATE.

The SMDS process is ready for full scale commercial operation.

60. EXTERIOR MAYLAYSIA STOCK SHOT OF PLANT &1 TO MODEL OF PLANT ON BIGHT. at an advanced stage of design.

61. EXTERIOR NATURAL BEAUTY SHOT OF THIRD WORLD ENVIRONMENT

/ironmental impact of SMDS technology is very low.


62. INTERIOR AMSTERDAM WASTE PRODUCTS AND RECYCLING PIPES. WASTE PIPES. EFFLUENT WATER. MIX TO SCENES OF FISHING ON A RIVER OR LAKE PREFERABLY IN THIRD WORLD.

rocess water and steam condensate can be used again All waste water can easily be treated to allow release into a river. only effluents are clean water and sulphur free flue gas.

63. INTERIOR THORNTON RESEARCH SHOT V. D. Shell has bridged the technological gap.

ÇAD/CAM OF MAYLAYSIA PLANT ROTATING

Shell Middle Distillate Synthesis is about to become a commercial



It have to a whole new form for natural gas.

PRESENTER IN EDITING SUITE TV MONITOR IN BACKGROUND

ZOOM INTO SCREEN THEN CHT TO

SYNC TO CAMERA
The potential is there
for those who have the
imagination and the initiative to
seize the opportunity.

76.
STOCK SHOT
FINAL IMAGE OF CAD/CAM
REVOLVING WITH BACKGROUND OF
GAS FLARE WHICH FREEZES AND
TRANSFORMS INTO POURING LIQUID
OF MIDDLE DISTILLATE PRODUCT.

The opportunity is then for MUSIC the taking.

gud muni

furming

Music for bridges music for Coroteam.