

Index

635

- absorption 100
 - bass trap 103–4
 - coefficient 100–1
 - functional trap 105–6
 - high-frequency 101–2
 - low-frequency 102–4
 - pressure-zone trap 104
- acoustics 473
 - absorption 100–6
 - audio-for-visual production environment 77–8
 - ceilings 87
 - cost factors 75–6
 - definition 75
 - echo chambers 107–8
 - floors 84–6
 - frequency balance 75, 96
 - isolation 75, 80–1
 - isolation booths (iso-booths) 90–1
 - isolation rooms (iso-rooms) 90
 - noise isolation within control room 91–2
 - partitions 92
 - primary factors 80–106
 - professional recording studio 76
 - project studio 789
 - reflections 96–100
 - reverberation 75, 106–8
 - risers 86–7
 - separation 75
 - surface densities of common building materials 82
 - symmetry in control room design 92–6
 - walls 82–4
 - windows/doors 87–9
- ADAT MDM format 230
- Advanced Audio Coding (AAC) 380
- amplifiers 413
 - distribution 418
 - equalizers 416–17
 - operational 416–17
 - power 418–19
 - preamplifiers 416
 - saturation 413–15
 - summing 417
 - understanding theoretical process 413–16
 - voltage-/digitally-controlled 420
- amplitude 45–6
 - headroom 458
 - peak amplitude value (peak level) 46
 - peak-indicating meter 457
 - peak-to-peak value 46, 457
 - root-mean-square (rms) value 46–7
- analog audio recorders 409–10
- analog tape recorder 179
 - archive strategies 196
 - backup project 195–6
 - bias current 188
 - C.L.A.S.P. 196–7
 - cleanliness 195
 - degaussing 195
 - equalization 187
 - guidelines when recording 180
 - magnetic recording and its media 180–1
 - magnetic tape head 185–7
 - monitoring modes 188–9
 - print through 192–3
 - professional analog ATR 182
 - punch 189–91
 - rent a machine 180
 - rent a studio 180
 - tape emulation plug-ins 179, 197
 - tape noise 194–5
 - tape, tape speed, head configurations 191–2
 - tape transport 182–5
- apps 13–14, 227, 243, 252, 321–2, 603
- archiving/backup 196, 248, 283–5, 606–7
- artist 20
- assistant engineer 22–3
- audio driver protocols 250
 - Audio Stream Input/Output (ASIO) 250
 - CoreAudio 250
 - MOTU Audio System (MAS) 250
 - Windows Driver Model (WDM) 250
- Audio Engineering Society (AES) 215–16
- audio for games 18–19
- audio interface 248–50
 - driver protocols 250
 - latency 250–1
- audio production console 425
- audio for video/film 10, 18
- audio-for-visual production environment 77–8
- Audio-Video Interleave (AVI) format 388
- auditory perception 66
 - beats 68
 - combination tones 68–9
 - Fletcher-Munson equal-loudness contour curves 66–7
 - masking 69
- back catalog reissuing 561
- balancing basics 467–71
- behind-the-scenes professionals 26–7
- Blu-ray 375
 - burning 588–9
- brass instruments 147, 499
 - French horn 148–9
 - trombone 148
 - trumpet 147
 - tuba 148
- broadcast wave file format 399

- career development 27
 - continued education 625–6
 - networking/job placement tips 28–9
 - self-motivation 27–8
- CDs 373, 374, 579–81
 - burning 585–7
 - process 581–5
 - rolling your own 587–8
- cell phone 370
- Channel Voice messages 327
 - channel pressure (or aftertouch) 328
 - control change 329–30
 - note-off 327
 - note-on 327
 - pitch bend change 329
 - polyphonic key pressure 327–8
 - programme change 328
- C.L.A.S.P. (Closed Loop Analog Signal Processor) 197
- the Cloud 372
- comping (comp) 265–6
- compressed codec soundfile
 - formats 377
 - AAC 380
 - FLAC 381
 - MP3 379–80
 - MP4 380
 - perceptual coding 377–9
 - tagged metadata 381–2
 - WMA 380
- compression
 - acoustic guitar 499
 - bass guitar 499
 - brass 499
 - electric guitar 499
 - expanding 504
 - final mix 500
 - kick drum 500
 - limiting 502–3
 - in mono mix 499
 - multiband 501
 - noise gate 504–5
 - in recording/mixdown session 498–9
 - in stereo mix 499
 - synths 500
 - vocals 500
- compressor 495–500
- attack 497
- input gain 496
- meter display 497
- output gain 496
- release 497
- slope ratio 496
- threshold 495, 496
- computer 370
 - desktop 239
 - laptop 239–42
 - and MIDI 337–9
 - routing timecode to/from 409
- control room
 - design 8
 - equipment 7–8
 - noise isolation 91–2
 - purpose 7
 - symmetry in design 92–6
- cross-fades 263, 569
- daisy chain 320–1
- decibel 61
 - see also* loudness levels
- desktop computer 239
- desktop video 388
 - compression 388
 - frame rate 388
 - window size 388
- digital audio recording systems 224
 - ADAT MDM format 230
 - DAT system 229
 - DAT tape/transport format 230
 - DTRS MDM format 230–1
 - flash memory handhelds 227–8
 - hard-disk multitrack recorders 226–7
 - hard-disk recording 226
 - minidisc 228
 - mixing 434
 - modular digital multitrack 230
 - older technologies 228
 - portable studios 227
 - rotary head 228–9
 - rotating-head recorder 228
 - samplers 225–6
 - digital audio tape (DAT) system 229
 - transport format 230
- digital audio technology 199
 - basics 200–9
 - language of digital 199–200
 - recording systems 224–31
 - recording/reproduction process 209–24
- digital audio workstation (DAW) 8–9, 233, 408–9
 - audio interface 248–54
 - documentation 285–7
 - graphical user interface (GUI) 434
 - guidelines 287
 - integration now/forever 233–6
 - looping 292–3, 305
 - mixer/controller technology 460–7, 471
 - power to the processor 280–7
 - software 256–80
 - sound file formats 254–6
 - system interconnectivity 244–8
 - tips/tricks 280–7
- digital audio workstation (DAW) hardware
 - accessories/accessorize 243–4
 - changing technology 236
 - choosing 237
 - desktop computer 239
 - iOS/iPad generation 242–3
 - laptop computer 239–42
 - need for speed 237–8
 - random access memory (RAM) 238
 - size 238–9
 - software 238
- digital audio workstation (DAW) software 256–8
 - acceleration processing systems 277
 - comping 265–6
 - DSP effects 269–74
 - DSP plug-ins 274–6
 - exporting mixdown to file 279–80
 - fixing sound with sonic scalpel 263–5
 - MIDI sequencing/scoring 266–7
 - mixdown/effects automation 277–9

- mixer surface 463–4
 - real time/on-screen mixing 268
 - rewire 276–7
 - sound file recording, editing,
 - region definition,
 - placement 258–63
 - support for video/picture sync 267–8
- digital basics 200–1
 - dither 208–9
 - fixed- vs. floating-point processing 209
 - Nyquist theorem 205–6
 - oversampling 206–7
 - quantization 203–5
 - sampling 201–3
 - signal-to-error ratio 207–8
- digital console 460–1
 - DAW software mixer surface 463–4
 - drawn (rubberband) automation 467
 - mixdown level/effects automation 464–5
 - read mode 467
 - virtual input strip 461–2
 - write mode 465–7
- digital recording 209
 - ADAT lightpipe system 218–19
 - AIS/EBU 215–16
 - audio levels 214
 - audio transmission 214–15
 - density of stored information 211
 - digital recording chain 209
 - jitter 220–2
 - MADI 217–18
 - playback process 211–12
 - S/PDIF 216–17
 - sample-and-hold (S/H) 209–11
 - SCMS 217
 - signal distribution 219–20
 - sound file bit rates 213–14
 - sound file sample rates 212–13
 - TDIF 219
 - wordclock 222–4
- Digital Tape Recording System (DTRS) 230–1
- digital technology 620
- Digital Theater System (DTS) 556–8
- disc jockey (DJ) 23–4
 - software 305
- discs
 - Blu-ray 375, 588–9
 - CDs 373, 374, 579–88
 - disc labeling 590
 - DVDs 373–5, 588–9
 - handling/care 589–90
 - vinyl 590–6
- distribution 11
- dither 208–9, 222, 574–5
- documentation 603–4
 - directory 286–7
 - session 285
 - within the DAW 285–6
- Dolby Digital (AC3) 555–6
- downloadable media 578
 - high-res 578–9
 - music streaming 579
- drum machine 225
- DSP effects 269
 - delay 272, 274
 - dynamic range 270–2
 - equalization (EQ) 270
 - non-real-time 270
 - pitch/time change 274
 - real-time 270
- DSP plug-ins 274, 275
 - AU (Audio Units) 274
 - AudioSuite 276
 - DirectX 274
 - MAS (MOTU Audio System) 276
 - RTAS (Real-Time Audio Suite) 276
 - TDM (Time Domain Multiplex) 276
 - VST (Virtual Studio Technology) 276
- DVDs 373–5
 - burning 588–9
- dynamic range 492–4
 - compression 495–501
 - expansion 504
 - limiting 502–3
 - multiband compression 501
 - noise gate 504–5
 - processors 494–5
- ear 63–4
 - effects of pinnae 70–1
 - interaural arrival-time difference 70
 - spatial/binaural localization 69
 - taking care of your hearing 65–6
 - threshold of feeling 65
 - threshold of hearing 64–5
 - threshold of pain 65
- editing 359–60
 - editing controller values 361–2
 - humanizing 361
 - practical techniques 360
 - quantization 361
 - slipping in time 361
 - transposition 360
- education, continual 625–6
- effects processing 475, 480–2
 - applying equalization 489
 - dynamic effects automation/editing 515–16
- equalization in action 489–92
- equalizer types 487–9
- external control over insert
 - effects signal path 478–9
- hardware/virtual effects in action 482–4
- high-pass/low-pass filters 486
- insert routing 476–7
- insert/send effects difference 479–80
- multiple-effects devices 514–15
- peaking filters 484–6
- send routing 479
- shelving filters 486
- signal paths in 475–80
- sound-shaping plug-ins 492
- time-based 505–14

- electronic instruments 311, 339, 352
 - auxiliary controllers 340
 - central processing units (CPUs) 339
 - control panel 340
 - drum machine 349
 - keyboards 155, 341
 - memory 340
 - MIDI communications ports 340

- MIDI drum controllers 349–51
- MIDI keyboard controller 347
- percussion 348–9
- performance controllers 339–40
- plug-ins 340–1
- sample DVDs/the Web 346
- samplers 342–6
- synth 342
- voice circuitry 340
- engineer 22
- equalization (EQ) 482–4
 - in action 489–92
 - applying 489
 - bandwidth 485
 - high-pass/low-pass filters 486
 - insertion loss 483
 - and mastering control 571
 - passband 486
 - peaking filters 484–6
 - quality factor 485
 - shelving filters 486
 - stopband 486
 - turnover/cutoff frequency 486
- equalizers 416–17, 483
 - graphic 488
 - notch filter 489
 - parametric 487
 - selectable frequency 487–8
- European Broadcast Union (EBU) 215
- Fast Fourier Transform (FFT) 518–19
- flash memory card 373
- flash memory handhelds 227–8
- Free Lossless Audio Codec (FLAC) 381, 558
- games audio 18–19
- graphic editing 258
 - copy 261
 - cross-fade 263
 - cut 261
 - as different from razor blade approach 258–9
 - fading 262–3
 - gain changing 262
 - non-destructive 258–60, 262
 - normalization 262
 - paste 261
- graphics 385
 - raster 385
 - vector animation 385
 - vector graphics 385
- groove tools/techniques 289
 - basics 289–92
 - best slicing 292
 - dedicated hardware controllers 302
 - DJ software 305
 - drum plug-ins 302–5
 - groove/loop systems 294–305
 - loop-based audio software 294–300
 - looping your DAW 292–3
 - obtaining loop files 305–7
 - plug-ins 301–2
 - ReWire 300–1
 - sync 290
 - tempo/length 290
 - time/pitch 290–1
 - warping 291
- grounding 421–2
- guitar 149
 - acoustic 149–50, 499
 - bass 499
 - electric 150–1, 499
 - electric bass 151
 - miking guitar amp 150
 - miking near sound hole 149–50
 - recording direct 151
 - surround miking 150
- handheld recording systems 13–14
- hard-disc multitrack recorders 226–7
- hard-disk recording 226
- harmonicas 167–8
- harmonics 54–8
- headphones 529–30, 545
- hearing loss 65
 - acoustic trauma 65
 - conservation of hearing tips 65–6
 - permanent threshold shift 65
 - temporary threshold shift 65
- home theater 370–1
- iConnections 321–2
- insert routing 476–7
 - difference between insert/send effects 479–80
 - external control over insert effects signal path 478–80
 - external keyed input 478
 - gate 478
 - sends 479
 - vocal track 478
 - voice track 478
- Internet 10, 18–19, 371–2
- Internet radio 392
- iPad 242–3
- iRevolution 13–14
- jitter 220–2
- jogging (or rocking) the tape 570
- knowledge 14–15
- laptop computer
 - benefits 239
 - downside 241–2
- latency 250–1
- law 25, 599–600
- lightpipe connectors 216–17, 218–19
- line trim 435
- live/on-location recording 17
- local area network (LAN) 246–7
 - accessing sound files/sample libraries 248
 - archiving/backup 248
 - complexity/administrative levels 247
 - shared Web connections 248
 - sharing files 248
- loop systems 292–3, 513
 - audio software 294–300
 - dedicated hardware controllers 302
 - drum plug-ins 302–5
 - plug-ins 301–2
 - pulling loops into DAW session 305
- loudness levels 59–60
 - concept of power 63
 - the decibel 61
 - logarithmic basics 60–1

- power 62–3
- sound-pressure level 61–2
- voltage 62
- low frequency effect (LFE) 538–9
 - surround with LFE 542
 - surround minus LFE 542
 - theater plus LFE 542
- magneto-optical (MO)
 - technology 228
- maintenance engineer 23
- marketing/sales 10, 40
- master/slave relationship 406–7
- mastering 563–4
- mastering engineer 23, 565–6
- mastering process 39–40, 564–5
 - analog sequence editing 570
 - decision-making 568
 - digital audio editor 575
 - digital sequence editing 569–70
 - dither 574–5
 - do your own vs. outsourcing 567
 - dynamics 572–3
 - EQ/mastering control 571
 - match levels throughout project 565
 - multiband dynamic processing 573–4
 - playback at optimum levels 565
 - 'pre'paration 567–8
 - project details 568
 - relative volumes 570–1
 - sequencing 565, 568–9
 - sound 'right' 565
 - soundfile resolution 574
 - soundfile volume 574
 - specialized skills, equipment, environment 565–6, 567
 - timings between songs 565
 - vinyl discs 594–5
- metering 455–7
 - average/peak meter 460
 - finer points 457–9
 - headroom 458
 - peak-indicating meter 457
 - peak-to-peak value 457
 - VU meter 459–60
- microphone (mic)
 - balanced/unbalanced lines 125–8
 - choosing 109, 129, 146–7
 - description 109
 - directional response 116–20
 - equivalent noise rating 124
 - frequency response 121–2
 - impedance 125
 - leakage 133–4
 - output characteristics 124
 - overhead 160–1
 - overload characteristics 124–5
 - placement 129–30
 - practical advice 130
 - preamps 128–9, 435
 - rules 109–10
 - sensitivity rating 124
 - transient response 123–4
 - trims 435
- microphone (mic) design 109
 - boundary 132–3
 - condenser 113–14
 - dynamic 110–11
 - electret-condenser 116
 - phantom power 114–16
 - ribbon 111–13
- microphone (mic) placement 145
 - brass instruments 147–50
 - electric guitar 150–2
 - electronic keyboard instruments 155
 - grand piano 152–3
 - harmonica 167–8
 - percussion 155–63
 - selection guidelines 146
 - stringed instruments 163–4
 - tuned percussion instruments 163
 - upright piano 154
 - voice 165–6
 - woodwind instruments 166–7
- microphone (mic) selection 168
 - AEA A440 171–2
 - AKG C214 174–5
 - AKG D112 169–70
 - Beyerdynamic M-160 170–1
 - Neumann KM180 Series 173–4
 - Neumann TLM102 175
 - Royer Labs R-121 172–3
- Shure SM57 168–9
- Sontronics Apollo stereo ribbon microphone 176–7
- Telefunken U47, C12, Ela M251E 175–6
- microphone (mic) techniques 129–30
 - 3:1 distance rule 134–5
 - 5:1 distance rule 136
 - accent placement 137
 - ambient placement 130
 - ambient surround 143
 - close placement 133–7
 - Decca tree 142
 - distant placement 130–3
 - M/S (or mid-side) 140–1
 - pickup characteristics as function of working distance 130
 - reamping it in the mix 144–5
 - recording direct 143–4
 - spaced pair 139
 - stereo miking technique 139
 - surround Decca tree 143
 - surround miking technique 142–3
 - X/Y stereo miking 139–40
- MIDI timecode 400
 - distribution of SMPTE signals 405
 - levels 405
 - messages 400–1
 - production in analog audio/video worlds 402
 - refresh and jam sync 403–4
 - SMPTE offset times 404–5
 - SMPTE/MTC conversion 401
 - synchronization using SMPTE timecode 404
- MiniDisc (MD) 228
- minorities 25
- mixdown 277–9, 431–2
 - compression 498
 - exporting to file 279–80
 - level/effects automation 464–5
 - tips/tricks 606
- mixer 425
 - surround 559–61
- mixing 425–6
 - and balancing basics 467–71

- DAW mixer/controller
 - technology 460–7
- digital console 460–7
- need for more inputs 470–1
- practical example 469–70
- recording process 427–32
- signal chain (or signal path) 432–3
- mixing surface 432–4
 - auxiliary send section 440–1
 - averaging/peak meter 460
 - channel assignment 450–1
 - channel fader 448–9
 - channel input (preamp) 434–7
 - DAW software 463–4
 - direct insert monitoring 445, 447
 - dynamics section 443
 - equalization 441–3
 - gain level optimization 437–8
 - grouping 451–3
 - in-line monitoring 445
 - insert point 438–9
 - metering 457–9
 - monitor level section 453
 - monitor section 443–5
 - output section 449–50
 - patch bay 454–7
 - separate monitor section 447
 - VU meter 459–60
- modular digital multitrack (MDM) 230
- monitoring 443–5, 523, 536–7
 - in 5.1 surround 550–3
 - active/passive monitors in surround 554
 - balancing speaker levels 535–6
 - bass management 539
 - big bad bottom end 537
 - direct insert 445, 447
 - in-line 445
 - level section 453
 - LFE channel 538–9
 - separate section 447
 - speaker design 530–4
 - speaker polarity 534–5
 - speaker types 525–30
 - speaker/room considerations 523–5
 - subwoofer 538
 - volume 537
- monitoring configurations
 - greater height channels 542–3
 - monitor level control 543
 - mono 540
 - quad 541–2
 - spectral reference 543–4
 - stereo 540–1
 - stereo + sub 541
 - surround with an LFE 542
 - surround minus an LFE 542
 - theater plus an LFE 542
- monitoring in studio 545
 - headphones 545
 - playback speakers 545–6
- MP3 20, 228, 379–80
- MP4 380, 558
- Multichannel Audio Digital Interface (MADI) 217–18
- multimedia 10, 18–19, 311, 369
- multimedia delivery 371
 - Blu-ray 375
 - CD 373, 374
 - the Cloud 372
 - compressed codec soundfile
 - formats 377–82
 - desktop video 388–9
 - digital audio 376–7
 - DVD 373–5
 - flash memory card 373
 - formats 376–7
 - graphics 385–7
 - heard in cyberspace 389–90
 - internet radio 392
 - MIDI 382–5
 - need for speed 389–92
 - networking 371
 - physical media 373
 - selling your wares 391–2
 - uncompressed soundfile
 - formats 377
 - uploading to stardom 390–1
 - the Web 371–2
- multimedia environment 370
 - cell phone 370
 - computer 370
 - television/home theater 370–1
- multiport network 321
- music lawyer 599–600
- music printing programs 365–7
- music streaming 579
- Musical Instrument Digital Interface (MIDI) 309
 - cable 315–16
 - channel voice messages 327–30
 - channels 324–6
 - and the computer 337–9
 - connecting to peripheral world 337–8
 - daisy chain 320
 - description of 312–14
 - echo 319
 - editing 359–62
 - electronic instruments 339–52
 - explanation of controller ID
 - parameters 330–1
 - general 384–5
 - iConnections 321–2
 - interface 338–9
 - jacks 318
 - message 322–4
 - mixing a sequence 363–4
 - modes 326–7
 - and multimedia 382–5
 - multiport network 321
 - music printing programs 365–7
 - phantom power 316–17
 - playback 363
 - production environments 310–11
 - recording 354–7
 - saving files 358–9
 - sequencing 352–4
 - sequencing/scoring 266–7
 - standard files 384
 - system interconnections 314–16
 - system messages 331–5
 - system-exclusive messages 335–7
 - transferring to audio tracks 364–5
 - typical configurations 319–22
 - wireless 317
- musicians 20–1
 - tools 608–9
- networking 246–8, 371
- noise gate 504–5
- noise isolation 91–2

- noise reduction 517
 - clicks/pops 520–1
 - digital 517–20
 - Fast Fourier Transform (FFT) 518–19
 - noise gate 522
 - restoration 520–1
 - single-ended process 521–2
- overdubbing 34–6, 431
- options 36–7
- patch bay 454–5
- percussion
 - congas/hand-drums 163
 - drum machine 349
 - drum set 155–7
 - floor-tom 162
 - hi-hat 162–3
 - kick drum 158–9, 500
 - MIDI drum controllers 349–51
 - miking the drum set 157–8
 - overhead mics 160–1
 - rack-toms 161–2
 - sample technology 348–9
 - snare drum 159
 - tuned 163
 - xylophone, vibraphone, marimba 163
- personal production studios 10
- physical media 579
 - CD 579–81
 - CD burning 585–7
 - DVD/Blu-ray burning 588–9
 - process 581–5
 - rolling your own 587–8
- piano
 - grand 152–3
 - upright 154
- pitch
 - automatic correction 514
 - changes 513
 - shifting 512–13
- playback 363
- plug-ins
 - control/automation 475
 - drum/drum loop 302–5
 - DSP 274–6
 - electronic instruments 340–1
 - sound-shaping effects 492
- standards 475
- tape emulation 179, 197
- portable studio 13
 - all-in-one hardware recording systems 227
- power conditioning 422–3
 - balanced 423–4
 - multiple-phase 423
- preamplifiers 416
- processing power 280
 - backup/archive strategies 283–5
 - dual monitor 282
 - keep computer quiet 283
 - keep production media separate 281
 - session documentation 285
 - sufficient memory 280–1
 - suitable computer 280
 - update drivers 281–2
- producer 21–2, 598–9
- Producers and Engineers Wing of NARAS 287
- product manufacture 40, 577–8
 - disc handling/care 589–90
 - downloadable media 578–9
 - physical media 579–89
 - vinyl disc 590–6
- professional recording studio
 - acoustics 76
 - microphones 129
- professionalism 611–12
- project studio 10
 - acoustics 78–9
 - benefits 11
 - microphones 129
 - paying for itself 16–17
 - technology 11–12
- psychoacoustic enhancement 511–12
- psychoacoustics 66
- punch 189–91, 264–5, 356–7
- QuickTime 388
- reamp process 144–5
- recording
 - background 1–3
 - changing tempo 355
 - choices 15–16
 - click track 355–6
 - compression 498
 - digital 209–24
 - direct 143–4
 - knowledge 14–15
 - MIDI 354–7
 - multiple track 356
 - people involved in 20–4
 - punching in and out 356–7
 - setting session tempo 355
 - step time entry 357
 - technological change 11, 12, 13–14
 - tips/tricks 604–5
- recording console 8
- recording industry 613
 - digital technology 620
 - and dissemination/digestion of information 622
 - future prospects 621–2
 - history/development 613–19
 - keep interested in career 622–3
 - present situation 619–21
 - the Web 620–1
- Recording Industry Association of America (RIAA) 217
- recording process 29, 427
 - assignment/labelling 32–3
 - building up tracks 31
 - grouping recorded tracks 430
 - hard-disk/multitrack technologies 30
 - headphone levels/cue balance 34
 - make notes/enter timing numbers 34
 - marketing/sales 40
 - mastering 39–40
 - microphones 31
 - mixdown 37–9, 431–2
 - monitoring 429
 - overdubbing 34–7, 431
 - power preparation 430
 - practice rundown songs 33–4
 - preparation 29–30
 - product manufacturing 40
 - recording phase 427–9
 - rough headphone mix 33
 - single instrument to dedicated track 30
 - standardization 31–2

- recording studio
 - business aspects 10–11
 - design 5–7
 - facilities 3–4
 - size/shape of space 4–5
- reflection of sound 48–9, 96–100
 - acoustic reverberation 106–8
 - flutter echo 98
 - front of room (acoustically 'dead') 98
 - rear of room (acoustically 'live') 98
 - sonic 97
 - standing waves 97
- reverb types
 - chamber 511
 - gate 511
 - hall 510
 - live (stage) 511
 - plate 511
 - reverse 511
 - room 511
 - spring 511
- reverberation (reverb) 73, 75, 509
 - acoustic 106–8
 - decay time 73
 - direct signal 509
 - direct sound 106
 - early reflection 106
 - early reflections 509
 - reverb 106
 - types 510–11
- reWire 276–7, 300–1
- rotary head 228–9
- rotating-head digital audio recorder 228

- samplers 342–6
- sequencing 352, 568–9
 - analog editing 570
 - basic introduction 354
 - cross-fades 569
 - digital editing 569–70
 - integrated workstation sequencers 352–3
 - mixing 363–4
 - running order 569
 - software 353
 - total length 569
 - transition 569
- Serial Copy Management System (SCMS) 217
- signal processing 473
 - background 473–4
 - dynamic effects automation/editing 515–16
 - dynamic range 492–505
 - effect processing 480–92
 - multiple-effects devices 514–15
 - plug-ins 475
 - signal paths in effects processing 475–80
 - sound-shaping effects plug-ins 492
 - time-based effects 505–14
- signed artist/superstar approach 16–17
- SMPTE offset times 404–5
- SMPTE signal distribution 405
- SMPTE timecode 404
- SMPTE/MTC conversion 401
- sonic scalpel 263–5
- Sony/Phillips Digital Interface (S/PDIF) protocol 216–17
- sound
 - auditory perception 66–9
 - basics 43–4
 - compression 44
 - diffraction 49–50
 - direct 72
 - the ear 63–6
 - flutter (or slap) echo 98
 - 'good' rule 442
 - interaural arrival-time differences 70
 - loudness levels 59–63
 - perception of direction 69–71
 - perception of space 71–3
 - psychoacoustics 66
 - rarefaction 44
 - reflection of 48–9
 - sound-pressure waves 43–4
 - spatial/binaural localization 69–70
 - timbre 56–7, 58
 - wave propagation 44
 - waveform characteristics 44–59
- sound file bit rates 213–14
- sound file formats 254
 - Apple AIFF 254
 - broadcast wave 254
 - interchange/compatibility 255–6
 - sample/bit rates 256
 - wave 254
- sound file sample rates 212–13
- soundfile formats
 - compressed codec 377–82
 - uncompressed 377
- soundfile resolution 574
- soundfile volume 574
- space, perception of 71
 - direct sound 72
 - early reflections 72–3
 - reverberation 73
- speaker design 530–1
 - actively powered vs. passive 532–4
 - crossover networks 531–2
- speaker types 525
 - in the car 530
 - far-field monitors 525–6
 - near-field monitoring 526–7
 - small 527–8
- speakers
 - balancing levels 535–6
 - placement/setup 551–3
 - playback in the studio 545–6
 - polarity 534–5
 - practical standpoint 553
- spectral analyzer 543–4
- stringed instruments 163
 - cello 164
 - double bass 164
 - violin/viola 164
- studio management 24
 - administration staff 25
 - bookings 25
 - manager 25
- studio musicians/arrangers 20–1
- studio tips/tricks 597
 - artwork 601
 - backup/archive strategies 606–7
 - before going into the studio 600–3
 - check out studios/engineers 601
 - copyright songs 601
 - create mission statement 600

- household tips 607
- mixdown 606
- musicians' tools 608–9
- practice, practice, practice 601
- preparation/details 597–600
- professionalism 611–12
- protect hardware 610–11
- protect investment 610
- read manuals 611
- record own concerts/practices 609–10
- recording 604–5
- session documentation 603–4
- setting up 603
- update software 611
- surround final mastering/delivery formats 555
 - Dolby Digital (AC3) 555–8
 - FLAC 558
 - MP4 558
 - up-mix to 5.1 558
 - WMA 558
- surround sound 547–8
 - active/passive monitors 554
 - future prospects 550
 - historical background 548–50
 - interfacing 554–5
 - with LFE 542
 - minus LFE 542
 - mixing 559–61
 - monitoring in 5.1 550–3
 - practical standpoint 553
 - quad 542–3
 - reissuing back catalog material 561
 - speaker placement/setup 551–3
 - television 549
 - theaters 549–50
- synchronization 393–4
 - guidelines 410–11
 - information data 396
 - real-world applications using timecode/MIDI timecode 406–10
 - timecode 394–9
 - timecode within digital media production 399–405
 - using SMPTE timecode 404
- synths 500
- system interconnectivity 244
- FireWire 246
 - networking 246–8
- Thunderbolt 246
- USB 244–5
- system messages 331
 - active sensing 335
 - continue 335
 - end of exclusive (EOX) 331
 - exclusive 335–7
 - MIDI timecode (MTC) 331
 - real-time 331
 - song select 331
 - start 334–5
 - stop 335
 - system reset 335
 - timing clock 334
 - tune request 331
- system-exclusive (sys-ex) message 335–7
 - backing-up current patch data 336
 - getting patch data from the Web 336
 - transmitting patch data between synths 336
 - varying controller (or patch data) in real time 336
- tagged metadata 381–2
- tape machines 8
- tape transport 182–5
 - automatic tape counters 185
 - basic controls 183–4
 - DAT tape/transport format 230
 - in practice 182–3
 - safety switch 185
 - shuttle control 185
 - total transport logic (TTL) 184–5
- Tascam Digital Interface (TDIF) 219
- tax tips 627, 633
 - accelerate/decelerate income 632
 - entertaining clients 631
 - equipment 630
 - get help from IRS 632
 - health insurance 631
 - home office 630
 - own business 628
 - savings/retirement plans 632
 - self-employment 631
 - vehicles 631–2
 - write-offs 628–30
- technology 11, 12, 13–14
 - ribbon 112–13
- television 370–1, 549
- theaters 542, 549–50
- time-based effects 505–6
 - 15–25 ms 507–8
 - automatic pitch correction 514
 - delay 506
 - less than 15 ms 506–7
 - more than 35 ms 508
 - pitch shifting 512–13
 - psychoacoustic enhancement 511–12
 - reverb 509–10
 - reverb types 510–11
 - time/pitch changes 513
- timecode 394
 - analog audio recorders 409–10
 - digital audio workstations 408–9
 - digital audio's need for stable timing reference 408
 - frame standards 396–9
 - master/slave relationship 406–7
 - MIDI 400–5
 - real-world applications 406–10
 - routing to/from computer 409
 - sync information data 396
 - video workstation/recorder 408
 - video's need for stable timing reference 407–8
 - within digital media production 399
 - word 395–6
- transducer 40–2
- up-mix 558
- video jockey (VJ) 24
- video workstation/recorder 408
- vinyl discs 590
 - cutting 590–1
 - cutting head 592
 - disc-cutting lathe 592
 - mastering process 594–5

- pitch control 593–4
- plating/pressing 596
- recording discs 594
- vocal booths 90–1
- voice 165
 - choosing a mic 165
 - compressors 500
 - excessive bass boost due to
 - proximity effect 165
 - excessive dynamic range 165
 - mit tools 165–6
 - sibilance 165
- volume
 - acoustic space considerations 75
 - changes in 498, 500
 - control 325, 359, 362, 363, 364, 425, 430, 443, 452, 494
 - headphone systems 545
 - and hearing loss 65
 - intensity difference 70
 - levels 570–1
 - microphone placement 133, 137, 150, 151, 157–8
 - mixing sound 468–70
 - monitoring 525, 536, 537, 554
 - perception of 60, 66, 98, 511
 - power amplifiers 418
 - reflection of sound 49
 - relative 570–1
 - repetitive surges 68
 - sequence editing 569, 570
 - sonic amplitude envelope 58
 - sound pressure level 61–2
 - soundfile 574
 - vocal 165
 - VU meter 459–60
- waveform
 - amplitude 45–7
 - clipping 414–15
 - complex waves 56
 - description 44–5
 - diffraction of sound 49–50
 - envelope 58–9
 - frequency 47–8
 - frequency of response 50–1
 - harmonic content 54–8
 - phase 51–3
 - phase shift 53–4
 - reflection of sound 48–9
 - velocity 48
 - wavelength 48
- Windows Media Audio (WMA)
 - 380, 558
- women 25, 26
- woodwind instruments 166
 - clarinet 166
 - flute 167
 - saxophone 167
- wordclock 222–4
- World Wide Web 248, 346, 371–2, 620–1, 625