



- KEY**
- PROPOSED FOOTPATH
 - PROPOSED DROP KERB (DK)
 - PROPOSED BULLNOSE KERB (BN) 0mm UPSTAND
 - PROPOSED TIMBER EDGE
 - PROPOSED PEDESTRIAN GUARDRAIL
 - REMOVAL OF EXISTING KNEE HIGH BARRIER

NOTE: ALL TIMBER TO BE CCA PRESSURE TREATED.

SECTION 1 - TYPICAL FOOTPATH CONSTRUCTION

SECTION 2 - TO BE USED WHERE GROUND FALLS MAXIMUM OF 150mm OVER WIDTH OF PATHWAY

SECTION 3 - TO BE USED WHERE GROUND FALLS MAXIMUM OF 400mm OVER WIDTH OF PATHWAY

NOTE: PEDESTRIAN GUARD RAIL DETAIL TO BE CONFIRMED, INSTALLATION OF UNIT WILL BE TO MANUFACTURES SPECIFICATION/GUIDANCE.

POST - 75mm x 150mm x 2000mm
 RAIL - 38mm x 87mm
 CONCRETE - ST2

B 02.10.2019 Annotation to footpath updated.
 A 16.07.2019 Sections updated.

Revisions

Project: **Colwinston**

Client: **REDROW HOMES**

Drawing: **POS Footpath**

Scale: 1:500 @ A1 Date: JULY 2019 Drawn by: CDT

Drawing No: **3946-15-06-017** Rev: B

PHOENIX DESIGN Partnership Ltd.
 Unit 9, Westway Garage, Marksbury, Bath BA2 9HN Tel: 01761 478950
 Titan House, Lewis Road, Corsham, Wiltshire SN24 9BS Tel: 0129 2048 0771 email: enquiries@phoenixdp.co.uk www.phoenixdp.co.uk

This drawing is the copyright of Phoenix Design Partnership Ltd. No liability will be accepted for amendments by others to either the printed or digital format.

Dwg Status: **FOR TENDER**