



PROPOSED GROUND FLOOR PLAN 1:50

ELECTRICAL LEGEND

- 13A DOUBLE SOCKET OUTLET (LOW LEVEL)
- 13A DOUBLE SOCKET OUTLET (HIGH LEVEL - TO SUIT WORKTOPS)
- 13A APPLIANCE SPUR OUTLET - WITH REMOTE SWITCH AND NEON INDICATOR LIGHT.
- MANUAL BREAK GLASS CALL POINT
- FIRE ALARM ELECTRONIC SOUNDER
- EXISTING CEILING RECESSED SPOTLIGHT
- ILLUMINATED EMERGENCY EXIT SIGN
- ILLUMINATED EMERGENCY ESCAPE ROUTE SIGN
- EXISTING CEILING MOUNTED (FOOD-SAFE) FLUORESCENT FITTING
- NEW CEILING MOUNTED (FOOD-SAFE) TWIN-LAMP FLUORESCENT FITTING
- EXISTING CEILING MOUNTED FLUORESCENT FITTING
- LIGHTING SWITCH POINT
- COMPUTER DATA SOCKET OUTLET
- TELEPHONE SOCKET OUTLET
- FUSE/ DISTRIBUTION BOARD
- SURFACE MOUNTED FLUORESCENT BULKHEAD FITTING
- SURFACE MOUNTED SHOWER-PROOF FLUORESCENT BULKHEAD FITTING
- SURFACE MOUNTED EMERGENCY BULKHEAD LIGHT
- HEAT DETECTOR ALARM - LINKED, MAINS FED c/w BATTERY BACK-UP
- SMOKE ALARM - LINKED, MAINS FED c/w BATTERY BACK-UP
- THERMOSTAT CONTROL UNIT
- POWER SWITCH
- BLANKED OFF ELECTRICAL BACK-BOW
- EXISTING VENTILATION GRILLE
- WALL MOUNTED INSTANTANEOUS ELECTRIC HOT WATER HEATER
- WALL MOUNTED MACERATOR UNIT
- CENTRALISED LIGHTING CIRCUITS SWITCHING POINT
- FIRE ALARM PANEL
- VENTILATION SYSTEM CONTROL POINT
- (EXIST)** DENOTES ELECTRICAL EQUIPMENT RETAINED IN SITU AND RE-USED IN CONJUNCTION WITH NEW EQUIPMENT. (SYMBOL USED AT SELECTED SWITCH POSITIONS AT AREAS WITHIN EXTENSION ONLY).
- REM** DENOTES ELECTRICAL EQUIPMENT TO BE REMOVED DURING DOWNTAKINGS.
- RE-IN** DENOTES ELECTRICAL EQUIPMENT TO BE REMOVED, RETAINED AND REINSTATED
- NEW** DENOTES NEW ELECTRICAL EQUIPMENT
- NEW CEILING MOUNTED EXTRACTOR - MIN. 15 l/sec. EXTRACTION RATE
- NEW CEILING MOUNTED EXTRACTOR - MIN. 60 l/sec. EXTRACTION RATE
- NEW CEILING MOUNTED PULL-CORD EMERGENCY ALARM
- COOKER CONTROL SWITCH
- WIND TURBINE DISPLAY
- DIMPLEX FX20IPX4 WALL MOUNTED PULL CORD ELECTRIC FAN HEATER
- DIMPLEX PLX3000 IPX4 WALL MOUNTED ELECTRIC PANEL HEATER C/W REMOTE SWITCH
- DIMPLEX AC3N WALL MOUNTED OVER DOOR ELECTRIC FAN HEATER C/W REMOTE SWITCH
- DIMPLEX ELECTRICAIRE R10 WARM AIR SYSTEM

CONSTRUCTION ISSUE

18/03/11 TENDER ISSUE
 C - 17/03/11 General Amendments to Plan. aww
 B - 01/02/11 Amendments for Building Warrant. aww
 A - 14/12/10 Amendments for Building Warrant. aww
 29/09/10 BUILDING WARRANT APPLICATION.
 Amendments:

Client:
 St Andrews Community Association

Project:
 Alterations & Extensions to the
 St Andrews Community Centre

Drawing:
 Proposed Ground Floor Plan

Scale:	1:50	A1
Drawn:	SMS	Checked:
	Sept. 2010	

PENTARQ
 www.pentarq.co.uk

33 Albert Street, KIRKWALL
 Orkney, KW15 1HL
 T: 01856 872022 F: 01856 874381 E: kirkwall@pentarq.co.uk
 41 Trail Street, THURSO
 Caithness, KW14 8EG
 T: 01847 893212 F: 01847 894494 E: thurso@pentarq.co.uk

Ref:	No:	Amd:
5409	A	006
		C