

1485 Triathlon Club

Bosworth Water Trust Open Water Swimming

Risk Assessment

Risk Assessment – Swimming – Open Water

Risk Assessment carried out by Steven Robinson

RISK RATINGS						
POTENTIAL SEVERITY	5	5	10	15	20	25
	4	4	8	12	16	20
	3	3	6	9	12	15
	2	2	4	6	8	10
	1	1	2	3	4	5
		1	2	3	4	5
PROBABILITY						

Potential Severity

5	=	Fatality
4	=	Major
3	=	Minor
2	=	Negligible
1	=	None

Probability

1	=	Improbable
2	=	Remote
3	=	Possible
4	=	Probable
5	=	Certainty

Overall Risk

1-6	Low
8-12	Medium (judgement needed)
15-25	High

POTENTIAL SEVERITY X PROBABILITY = RISK RATING

Event: Open Water Swim Training		Date: May – Sept 2014	Start Time: Each Sat 7am-9am Thurs 6.30pm-8.30pm
Maximum number of athletes: 200		Special needs Entries: None	
Age of Athletes: 8 to 80		Ability - Proficient	
Lead Name		Steven Robinson & and 1485 tri club named official on the day	
Location of First Aid Kit Stocked and Maintained		Registration. And Water Trust Shop when Open	
Location of First Aider		Safety Officer and water park office	
Location of Telephone		Water Park Office and Club Members Mobiles	
Location of Toilets		Water park main building	
Location of Changing Rooms		Water park main building	
Venue Contact		Name: Steve Robinson	Tel Number: 07810 467593
SAFETY REQUIREMENTS		ACTION TO BE IMPLEMENTED BY WHOM	
Safety boat function (OW)		Safety boat to be made available	B.W.T./1485 TRI CLUB
Safety Officer		Club Safety Officer will keep careful watch of all session attendees throughout the swim time.	1485 Tri Club
Emergency Procedures		All swimmers will need to complete the 1485 Tri Club safety code for open water swimming at Bosworth Water Trust and will abide by the conditions (see example). On shore there will be a First Aid station with rescue kit. The master registration file will be kept in the safety car at Bosworth Water Trust with names in alphabetical order – only those that complete a form will be allowed to enter the water.	1485 Tri Club
Normal Operating Procedures		Yes _____ No _____	1485 Tri Club
Health & Safety Policy		Yes _____ No _____	1485 Tri Club
Emergency Action Plan		Yes _____ No _____	1485 Tri Club
Transfer to notified hospital		Nuneaton George Elliot Hospital. Or Leicester Royal Hospital.	1485 Tri Club
Doctor Present (OW)		No	1485 Tri Club
No	Hazard	Persons at Risk	Potential Severity
			Probability
			Risk Rating
			Control Measures
			Revised Risk Rating

