



Lithium-ion battery

00377-0095

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lithium-ion battery

Further trade names

Battery Typ:

12V 19.2Wh; 12V24Wh; 12V28.8Wh; 12V36Wh; 12V42Wh; 12V48Wh; 12V60Wh; 12V72Wh; 12V84Wh; 12V96Wh

Note: This product is an "article" and is not an object that is required to issue Safety Data Sheets (SDS) by regulations concerning chemical substances. This SDS voluntarily offers helpful information for your safe handling and environmental care.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lithium-Ion battery

1.3. Details of the supplier of the safety data sheet

Company name: Robert Bosch GmbH
Automotive Aftermarket
Place: D-76227 Karlsruhe
Telephone: +49 721-942-0

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone

number: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24
24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause damage to organs through prolonged or repeated exposure.

The following information is required only in case of exposure to interior battery components after damage of the external battery casing.

Undamaged, closed batteries do not represent a danger to the health.

Note: This product is an "article" and is not an object that is required to issue Safety Data Sheets (SDS) by regulations concerning chemical substances. This SDS voluntarily offers helpful information for your safe handling and environmental care.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Lithium hexafluorophosphate

Ethylene carbonate

Signal word: Danger





Lithium-ion battery

00377-0095

Pictograms:



Hazard statements

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/container to in accordance with local and national regulations.

Additional advice on labelling

There is no hazard when the measures for handling and storage are followed.

2.3. Other hazards

No hazards in case of an intact battery and observation of the instructions for use.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Lithium-Ion Battery: Mixture of the following substances

Plastic container:

- 70 % PA66 CAS 32131-17-2
- 30 % Glass, oxide, chemicals CAS 65997-17-3



**Lithium-ion battery**

00377-0095

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 15365-14-7 | Iron lithium phosphate | | | 28 % |
| | 476-700-9 | | | |
| 7440-50-8 | Copper | | | 13 % |
| | 231-159-6 | | 01-2119480154-42 | |
| 7782-42-5 | Graphite | | | 12 % |
| | 231-955-3 | | 01-2119486977-12 | |
| 21324-40-3 | Lithium hexafluorophosphate | | | 9 % |
| | 244-334-7 | | | |
| | Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1, STOT RE 1; H301 H314 H318 H372 | | | |
| 96-49-1 | Ethylene carbonate | | | 9 % |
| | 202-510-0 | | | |
| | Acute Tox. 4, Eye Irrit. 2, STOT RE 2; H302 H319 H373 | | | |
| 616-38-6 | dimethyl carbonate | | | 9 % |
| | 210-478-4 | 607-013-00-6 | | |
| | Flam. Liq. 2; H225 | | | |
| 7429-90-5 | Aluminium | | | 7 % |
| | 231-072-3 | | 01-2119529243-45 | |
| 9003-07-0 | Polypropylene, homopolymer | | | 5 % |
| | | | | |
| 9002-88-4 | Polyethylene | | | 5 % |
| | 618-339-3 | | | |
| 24937-79-9 | Poly(vinylidene fluoride) (PVDF) | | | 2 % |
| | | | | |
| 9004-32-4 | Carboxymethyl cellulose sodium salt | | | 0,5 % |
| | 618-378-6 | | | |
| 9003-55-8 | Styrene Butadiene Rubber (SBR) | | | 0,5 % |
| | | | | |

Full text of H and EUH statements: see section 16.

Further Information

Because of the battery structure the dangerous ingredients will not be available if used properly.
Undamaged, closed batteries do not represent a danger to the health.

information:

The terminals contain 59% copper (CAS No. 7740-50-8) and 41% zinc (CAS No. 7740-66-6).

SECTION 4: First aid measures



Lithium-ion battery

00377-0095

4.1. Description of first aid measures

General information

The following first aid measures are required only in case of exposure to interior battery components after damage of the external battery casing.

Undamaged, closed batteries do not represent a danger to the health.

After inhalation

Ensure of fresh air.

Wash mouth and nasal passages with water.

Call a physician immediately.

If patient is not breathing, apply artificial respiration.

Do not make mouth-to-mouth resuscitation.

Corrosive to the respiratory tract.

After contact with skin

Wash off immediately with plenty of water and soap for at least 15 minutes.

Take off contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment by eye specialist.

After ingestion

Rinse mouth.

Drink plenty of water or milk.

Never give anything by mouth to an unconscious person.

Do not induce vomiting.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

In case of electrolyte leakage:

Causes severe irritation of eyes, skin and mucous membranes.

Ingestion of aqueous solution causes gastrointestinal burns.

May cause respiratory irritation.

Coughing

Shortness of breath

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use in case of small fire: Water, carbon dioxide (CO₂), Dry powder, Sand.

Use in case of large fire: water spray jet, Alcohol-resistant foam.

Unsuitable extinguishing media

Not known.

5.2. Special hazards arising from the substance or mixture

During contact of electrolyte with water hydrofluoric acid can be formed.

Heat development under short-circuit conditions.

Fire may produce:

Smoke contains combustible, irritating/corrosive and toxic gases.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

If possible, remove batteries from fire fighting area. If heated above 125°C, batteries can explode/vent.

Batteries is not flammable but internal organic material will burn if the batteries is incinerated.

Stand upwind of the fire while extinguishing

Collect contaminated water / firefighting water separately.





SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

The following information is required only in case of exposure to interior battery components after damage of the external battery casing.

Undamaged, closed batteries do not represent a danger to the health.

Use personal protective clothing.

Avoid contact with skin, eyes and clothing.

Avoid breathing fume and gas.

Keep away noninvolved persons.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

Waste disposal according to local regulations.

In case of electrolyte leakage:

Take up with absorbent material (e.g. general-purpose binder).

6.4. Reference to other sections

Information for safe handling look up chapter 7.

Information for personal protective equipment look up section 8.

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Follow the directions.

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.

Do not throw into fire.

Handle in accordance with good industrial hygiene and safety practice.

At work do not eat, drink and smoke.

Wash hands and skin before breaks and after work.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container at cool and aired place.

Protect from moisture.

Further information on storage conditions

Protect from heat and direct solar radiation.

7.3. Specific end use(s)

Lithium-Ion Battery

Note: This product is an "article".

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



**Lithium-ion battery**

00377-0095

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|------------|---------------------------------|-----|-------------------|-----------|---------------|--------|
| 7429-90-5 | Aluminium metal, inhalable dust | - | 10 | | TWA (8 h) | WEL |
| | | - | - | | STEL (15 min) | WEL |
| 7440-50-8 | Copper, fume | - | 0.2 | | TWA (8 h) | WEL |
| | | - | - | | STEL (15 min) | WEL |
| 16984-48-8 | Fluoride (inorganic as F) | - | 2.5 | | TWA (8 h) | WEL |
| | | - | - | | STEL (15 min) | WEL |

Additional advice on limit values

During normal charging and discharging there is no release of product.

No hazards in case of an intact battery and observation of the instructions for use.

8.2. Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation.

Provide eye bath.

Provide emergency shower.

Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

When using do not eat, drink or smoke.

Wash hands and skin before breaks and after work.

Eye/face protection

No special measures necessary if used correctly.

In case of electrolyte leakage: Safety goggles with side protection, Face shield

Hand protection

No special measures necessary if used correctly.

In case of electrolyte leakage: Wear suitable gloves

Skin protection

No special measures necessary if used correctly.

In case of electrolyte leakage: Protective suit. Chemical resistant apron (EN 467). Boots.

Respiratory protection

No special measures necessary if used correctly.

If the occupational exposure limit is exceeded, suitable respiratory protection must be worn.

In case of electrolyte leakage: Wear respiratory protection.

Environmental exposure controls

No special measures necessary if used correctly.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: Solid, Battery

Colour: n.a.

Odour: Odourless

pH-Value: n.a.

Changes in the physical state

Flash point: n.a.

Lower explosion limits: n.a.

Upper explosion limits: n.a.

Auto-ignition temperature

Solid: n.a.



**Lithium-ion battery**

00377-0095

Water solubility: insoluble

9.2. Other information

Battery Typ:

12V 19.2Wh; 12V24Wh; 12V28.8Wh; 12V36Wh; 12V42Wh; 12V48Wh; 12V60Wh; 12V72Wh; 12V84Wh; 12V96Wh

SECTION 10: Stability and reactivity**10.1. Reactivity**

No uncommon reactivity known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Short circuit

Overcharge

Incompatible materials

heat, sparks, open flames, hot surfaces

Handle with care - avoid shock, friction and impact.

Avoid high temperatures

Protect against direct sun radiation.

Protect from atmospheric moisture and water.

10.5. Incompatible materials

Marine water, Water, strong oxidizing agents, Strong acid.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Heat development under short-circuit conditions.

Fire may produce: toxic gases/vapours, Metallic oxides, carbon monoxide (CO), carbon dioxide (CO₂).**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No hazards in case of an intact battery and observation of the instructions for use.

Undamaged, closed batteries do not represent a danger to the health.

Acute toxicity

Harmful if swallowed.

There is no hazard when the measures for handling and storage are followed.

ATEmix calculated

ATE (oral) 925,9 mg/kg

| CAS No | Chemical name | | | |
|------------|-----------------------------|------------------------|-----------|--------|
| | Exposure route | Dose | Species | Source |
| 21324-40-3 | Lithium hexafluorophosphate | | | |
| | oral | LD50 mg/kg 50 - 300 | Rat | |
| 96-49-1 | Ethylene carbonate | | | |
| | oral | ATE 500 mg/kg | | |
| 616-38-6 | dimethyl carbonate | | | |
| | oral | LD50 13000 mg/kg | Ratte | GESTIS |
| | dermal | LD50 > 5000 mg/kg | Kaninchen | GESTIS |

Irritation and corrosivity

Causes severe skin burns and eye damage.





Lithium-ion battery

00377-0095

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Lithium hexafluorophosphate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

SECTION 12: Ecological information

12.1. Toxicity

There is no hazard when the measures for handling and storage are followed.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

The following information is required only in case of exposure to interior battery components after damage of the external battery casing.

Harmful to the environment

Should not be released into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Waste disposal according to local regulations.

Do not incinerate.

Waste disposal number of waste from residues/unused products

160605 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; batteries and accumulators; other batteries and accumulators

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 3480

14.2. UN proper shipping name:

LITHIUM ION BATTERIES

14.3. Transport hazard class(es):

9

14.4. Packing group:

-

Hazard label:

9A





Lithium-ion battery

00377-0095

Classification code: M4
 Special Provisions: 188 230 348 376 377
 Limited quantity: 0
 Excepted quantity: E0
 Transport category: 2
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 3480
14.2. UN proper shipping name: Lithium-ion battery
14.3. Transport hazard class(es): 9
14.4. Packing group: -
 Hazard label: 9A



Classification code: M4
 Special Provisions: 188 230 348 376 377
 Limited quantity: 0
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number: UN 3480
14.2. UN proper shipping name: LITHIUM ION BATTERIES
14.3. Transport hazard class(es): 9
14.4. Packing group: -
 Hazard label: 9A



Special Provisions: 188 230, 348, 376, 377
 Limited quantity: 0
 Excepted quantity: E0
 EmS: F-A, S-I

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3480
14.2. UN proper shipping name: LITHIUM ION BATTERIES
14.3. Transport hazard class(es): 9
14.4. Packing group: -
 Hazard label: 9A



Special Provisions: A99 A154 A164 A183 A201 A206 A331
 Limited quantity Passenger: Forbidden
 Passenger LQ: Forbidden
 Excepted quantity: E0
 IATA-packing instructions - Passenger: Forbidden
 IATA-max. quantity - Passenger: Forbidden
 IATA-packing instructions - Cargo: See 965
 IATA-max. quantity - Cargo: See 965

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no





Lithium-ion battery

00377-0095

14.6. Special precautions for user

To avoid risks to human health and the environment, comply with the instructions for use.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

No information available.

National regulatory information

Additional information

Note: This product is an "article" and is not an object that is required to issue Safety Data Sheets (SDS) by regulations concerning chemical substances. This SDS voluntarily offers helpful information for your safe handling and environmental care.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Changes in chapter: -

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the





Lithium-ion battery

00377-0095

present level of our knowledge. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

