

Toledo Mirage G200

TOLEDO MIRAGE G200 105LM E27 SL

0029911



Product features

- A perfect choice for hospitality, decorative and mood lighting applications
- Unique and innovative lamp design and construction
- Low-lumen output to create the low-lit effect and gives no glare
- Low power construction: only 2.5W
- Perfect for SylPendant fixtures - a range of unique and elegant E27 lamp pendants, available in copper, brass, black and white finish
- Candlelight 2000K colour temperature creates a warm and cosy ambience
- High colour rendering - CRI80
- High quality, scratch and temperature resistant golden tinted glass envelope
- 25,000 hours of average rated life. Last 25 times longer than incandescent lamps
- Omni-directional light distribution
- Non-dimmable
- More than 100,000X switching cycles
- 3 years warranty



PRODUCT OVERVIEW

IPC Code	0029911
Product name	TOLEDO MIRAGE G200 105LM E27 SL
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27
Fixture rating	Open
General application	Residential & Consumer
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740679
Luminous flux (lm)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80
Wattage (W)	2.5
Product Voltage (V)	230
Dimmable	No
Average life (Nominal) (h)	25000
Product EAN number	5410288299112

DATA TABLE

General data

IPC Code	0029911
Product name	TOLEDO MIRAGE G200 105LM E27 SL
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27

Toledo Mirage G200

TOLEDO MIRAGE G200 105LM E27 SL

0029911

Fixture rating	Open
General application	Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUTIE103
ETIM Class	EC001959
E-number FI	4740679

Optical data

Luminous flux (lm)	105
Luminous flux (Rated) (lm)	105
Colour temperature (K)	2000
Light colour	Candlelight
CRI (Ra)	80

Electrical data

Wattage (W)	2.5
Equivalent watt (W)	12
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	100000
Dimmable	No
Lamp Energy Label (class)	A
kWh per 1000 hours burning time	3
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	25000
Average life (Rated) (h)	25000

Physical data

Nominal Product Length (mm)	238
Nominal Product Diameter (mm)	200
Weight (kg)	0.38

Packaging

Single packaging type	Carton
Product EAN number	5410288299112
Packaging single length / height (cm)	26.0
Packaging single width (cm)	21.0
Packaging single depth (cm)	21.0
DUN14 (outer)	15410288299119
Units per outer package	2
Packaging outer length / height (cm)	43.5
Packaging outer width (cm)	22.5
Packaging outer depth (cm)	28.5

Toledo Mirage G200



TOLEDO MIRAGE G200 105LM E27 SL

0029911

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

TECHNICAL DRAWINGS





Toledo Mirage G200

TOLEDO MIRAGE G200 105LM E27 SL

0029911
