# Chatbot 1.1

## Setup

The chatbot is configured through a JSON file which specifies the behavior of the overall experience. Follow these steps to start configuring your chatbot:

- 1. Create a new JSON file with the configuration found on this page. You can set whatever name you want to the file, but it must have the \*.j son extension.
- 2. Send this JSON file to your dedicated Customer Success Manager so they can set it up.
- 3. If your company manages their own script, your Customer Success Manager will send you a URL. Copy and paste it to the configUrl property in the API configuration.

# Root properties

List of properties defined in the root of the configuration file. These properties specifies general specs or behaviors of the chatbot.

Name	Description	Required
version string	States the version of the file. The increment of the first value implies file changes that don't have backward compatibility, while the increment of the second value indicates file changes while maintaining backwards compatibility.  Value: an existent version name, i.e. "1.0"	Mandatory
	added in V1.0	
client	Identify the Customer who owns this chatbot.  Value: an existent customer UUID.	Mandatory
sung	added in V1.0	
<b>chatbotld</b> string	Identify the chatbot with a name.  Value: an existent chatbotId to update the chatbot configuration, or new name to create a new chatbot.  added in V1.0	Mandatory
launchNode string	Specify the first node to be launched when the chatbot starts.  Value: an existent node identifier.  added in V1.0	Mandatory
seeds seeds	Set all the available seeds for the chatbot. Use them to redirect the user to one team or another.  added in V1.0	Mandatory
nodes node	Object containing all the nodes.  Added in V1.0	Mandatory

## Seeds

By default, the session will start with the seed that you have configured as primarySeed, or as secondarySeed if you start a One-to-One from a One-to-Many. If you want to redirect the customer to a different seed depending on their answers, you can configure different seeds, with different teams on each one. Give a unique string key to each configSeed object to later link a node to it.

Name	Description	Required

seed	Id of an existent seed.	Mandatory	
		Added in V1.0	
	string		

### **Example**

```
"seeds": {
    "mobileTeam": {
        "seed": "58107f8c-c930-453b-a253-d63b165c3a62"
    },
    "internetTeam": {
        "seed": "d4ff7a14-fdf2-45c2-9e87-074c7d841c77"
    },
    "televisionTeam": {
        "seed": "45c2a987-2588-482b-a437-bf04f25b4a1f"
    }
}
```

### **Nodes**

A node represents a single interaction between the chatbot and the customer. It may be a question with options, an input asking for some data, a simple text...

The nodes live within the <u>nodes</u> property. They are defined as a string key (which has to be unique) along with a JSON object with the node internal properties.

The type property indicates the behaviour and look of the node.

### List of types

- message\_button: This type of node makes a text message to appear followed by one or more buttons.
- message\_session\_data: Group of data that will be asked to the customer in order to configure the session that will be launched.
- message\_simple: A simple message shown to the customer.
- message\_link: A node with a set of clickable links.

### **Types**

#### message\_button

This type of node makes a text message to appear followed by one or more buttons. We recommend to use this type of node to ask the customer to select an option from the ones displayed.

Name	Description	Required
type	Value: message_button	Mandatory
string	added in V1.0	

text	Text of the message. Use this property to ask the question that the customer must answer.	Mandatory
string	added in V1.0	
options	Possible options displayed to the customer, which will be presented as buttons. We recommend not to display more than 6 options.	Mandatory
option []	added in V1.0	

## message\_button - option

Name	Description	Required
buttonText	Text of the button. We recommend not to exceed 35 characters.  added in V1.0	Mandatory
string		Ontional
seed	ld of a configured seed. When the customer clicks on this button, the session will be configured with the provided seed.	Optional
string	added in V1.0	
action	Id of a configured node to make a new chatbot interaction appear, or "start" to initiate a session with an agent. If the customer has already filled an input_phone it will be a voice call session. If not, it will only be a chat session.	Mandatory
string	added in V1.0	

### message\_session\_data

Group of data that will be asked to the customer in order to configure the session that will be launched.

Name	Description	Required
type	Value: message_session_data	Mandatory
string	added in V1.0	
buttonText	Text of the button.	Mandatory
string	added in V1.0	
action	Id of a configured node to make a new chatbot interaction appear, or "start" to initiate a session with an agent. If the customer has already filled an input_phone it will be a voice call session. If not, it will only be a chat session.	Mandatory
string	added in V1.0	
fields	Set all the fields for this form.	Mandatory
field []	added in V1.0	

# message\_session\_data - fields:

message\_session\_data - field - input\_phone

Use this input to ask for the customer's phone.

Name	Description	Required

type	Value: input_phone	Mandatory
- 7	added in V1.0	
string		

message\_session\_data - field - checkbox\_private\_policy

Use this input to ask the customer to check the privacy policy.

Name	Description	Required
type	Value: checkbox_private_policy	Mandatory
string		

### message\_simple

A simple message shown to the customer.

Name	Description	Required
type	Value: message_simple	Mandatory
string	added in V1.0	
	Text of the message.	Mandatory
text	added in V1.0	a.i.aato.y
string		
action	Id of a configured node to make a new chatbot interaction appear, or "start" to initiate a session with an agent. If the customer has already filled an input_phone it will be a voice call session. If not, it will only be a chat session.	Mandatory
string	added in V1.0	

### message\_link

A node with a set of clickable links.

Name	Description	Required
type	Value: message_link	Mandatory
string	added in V1.1	
text	Header text of the node, use it to provide a description about the subsequent links.	Mandatory
string	added in V1.1	
action	Id of a configured node to make a new chatbot interaction appear, or "start" to initiate a session with an agent. If the customer has already filled an input_phone it will be a voice call session. If not, it will only be a chat session.	Mandatory
Julia	added in V1.1	
links	List of links to show.	Mandatory
link []	added in V1.1	

### message\_link - link

	Name	Description	Required
--	------	-------------	----------

linkText	Visible text of the link.	Mandatory
string		
linkUrl	Target URL of the link.	Mandatory
string		

# File example

This example shows how to set a chatbot meant for sales, that beggins with a filter to distinguish between clients and everyone else.

The customers that are clients will receive a suggestion to call to the customer care service.

The customers that are not clients will be asked how they prefer to talk, via phone or chat. If they want to talk via phone, they will have to provide their phone number and accept the privacy policy before starting the session with an agent. Both kind of sessions will be redirected to the default seed.

```
chatbot.json
    "version": "1.0",
    "client": "6b4ae9d1-3f71-43de-9981-683aaa128748",
    "chatbotId": "salesService",
    "launchNode": "welcomeMessage",
    "nodes":{
        "welcomeMessage": {
             "type": "message_simple",
             "text": "A few more details will help get you to the right
person",
             "action": "clientFilter"
        "clientFilter":{
             "type": "message_button",
             "text": "Are you already a client?",
             "options":[
                     "buttonText": "Yes, I'm a client",
                     "action": "customerCare"
                     "buttonText": "No, I'm not a client yet",
                     "action": "setSessionType"
             ]
        },
        "customerCare": {
             "type": "message_simple",
             "text": "Please contact with our Customer Care service
calling to 900 123 456. Thanks!"
        },
        "setSessionType":{
```

```
"type": "message_button",
             "text": "How do you want to talk?",
             "options":[
                {
                     "buttonText": "Chat",
                     "action": "chatConfirmation"
                     "buttonText": "Phone",
                     "action": "phoneMessage"
            1
        },
        "chatConfirmation":{
            "type": "message_simple",
             "text": "Great! You will be attended in a moment",
            "action": "start"
        },
        "phoneMessage":{
             "type": "message_simple",
             "text": "Provide your phone number so that one of our experts
can call you",
             "action": "telcoForm"
        },
        "telcoForm":{
             "type": "message_session_data",
             "buttonText": "Connect now",
             "action": "start",
             "fields":[
                {
                     "type": "input phone"
                 },
                     "type": "checkbox_privacy_policy"
             ]
```

```
}
}
}
```

This example shows how to set a chatbot that redirects the customer to one seed or another depending on their responses, to find the expert that better match their needs. Then the customer will be attended by an agent on a One-to-One session with a phone call.

First the seeds are configured and identified.

Then the chatbot asks the customer a question, and each response sets a different configured seed.

Then the chatbot asks the customer to provide their phone number and accept the privacy policy. Once the customer clicks on "Connect now", the customer will receive a phone call and the session starts.

```
chatbot.json
  "version": "1.0",
  "client": "6b4ae9d1-3f71-43de-9981-683aaa128748",
  "chatbotId": "telcoShop",
  "seeds": {
    "mobileTeam": {
      "seed": "58107f8c-c930-453b-a253-d63b165c3a62"
    },
    "internetTeam": {
      "seed": "d4ff7a14-fdf2-45c2-9e87-074c7d841c77"
    },
    "televisionTeam": {
      "seed": "45c2a987-2588-482b-a437-bf04f25b4a1f"
  },
  "launchNode": "qualifierQuestion",
  "nodes": {
    "qualifierQuestion": {
      "type": "message_button",
      "text": "What do you want to talk about?",
      "options": [
          "buttonText": "Mobile plans",
          "seed": "mobileTeam",
          "action": "phoneMessage"
        },
          "buttonText": "Internet plans",
          "seed": "internetTeam",
          "action": "phoneMessage"
        },
          "buttonText": "Television",
          "seed": "televisionTeam",
          "action": "phoneMessage"
```

```
]
    },
    "phoneMessage": {
      "type": "message_simple",
      "text": "Provide your phone number so that one of our experts can
call you",
     "action": "telcoForm"
    },
    "telcoForm": {
      "type": "message_session_data",
      "buttonText": "Connect now",
      "action": "start",
      "fields": [
          "type": "input_phone"
        },
          "type": "checkbox_privacy_policy"
      ]
```

}			
}			