



MVMTF Plus 75W

Fully Synthetic

Product Features:

- Fully synthetic manual transmission fluid with excellent bearing and gear protection and proven synchroniser performance.
- Fuel-economy benefits due to low viscosity formulation.
- Exceptional cold temperature performance properties.
- High shear stability for long lasting fluid performance.
- To ensure correct oil selection check Comma's latest Application guide in store or online at CommaOil.com.

Handling:

- Avoid extremes of temperature.
- Product in cardboard cartons must be stored under cover and away from damp conditions.
- Barrels should be stored under cover if possible.
- If barrels must be stored outside then lay them on their side to prevent water collecting around the bungs.

Shelf Life:

- 5 years from date of manufacture.
- Manufacture date can be identified from an eight digit code printed on the bottle. YYYY.MM.DD.

Typical Inspection Data:

Density @ 20 °C	0.848 g/cm ³
Viscosity @ 100 °C	6.9 cSt
Viscosity @ 40 °C	37 cSt
Calcium	0.29%
Phosphorus	0.05%
Colour	Brown
Pour Point	-39 °C

Performance Profile:

Recommended by Comma for certain BMW, Ford, Land Rover & VAG group applications and generally where a 75W, API GL-4 oil is specified. Suitable for use where the following specifications are called for:

BMW MTF LT-3; Ford WSS-M2C200-D2; GM 19259104 (BOT 303); VW G 052 178; VW G 060 726; VW G 052 171; VW G 052 726; VW G 052 512; VW G 070 726 A2; VW G 052 527 A2; VW G 055 512; BOT 350 M3

Modified 11.01.2021

Moove Lubricants Ltd. Dering Way, Gravesend, Kent DA12 2QX, England.
Tel: +44 (0)1474 564 311, Fax: +44(0)1474 333 000 Email: sales@commaoil.com www.CommaOil.com

Typical Inspection Data are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice.
All products may not be available locally. For more information, contact your local Cosan contact or visit www.CommaOil.com.