

Value meets reliability







Automatic 2-sided Print/ Scan/Copy/Fax



Wired/ Wireless LAN



Mobile Printing



Brother's Apps



Web Connect



250-sheet Paper Tray



2.7" LCD Screen

Designed for Maximum Value and Reliability

Boost your productivity with Brother's new range of cost-efficient monochrome laser printer and Multi-Function Centre series. With high-speed printing of up to 30 pages per minute (ppm) and multiple valuable features, you will have a printing experience like no other. Plus, you will get a 2,600-page high yield toner that comes with your printer or Multi-Function Centre.

EFFICIENCY

Save Paper and Time with Automatic 2-Sided Print

Print 2-sided pages without manually feeding the paper for back-to-back print jobs. In addition, Brother's Dual CIS Scanner also allows automatic 2-sided Print/Scan/Copy/Fax*.

250-Sheet Dust-Free Paper Tray

Protect papers from dust with an enclosed paper tray that holds up to 250-sheet of papers.

Up to 30ppm High Print Speed

Get your printing done in a flash at a fast laser printing speed of up to 30ppm.

Toner Save Mode

Toner Save Mode allows you to reduce printing costs due to lower toner usage when printing draft-quality documents.

*Only available for MFC-L2740DW



Network Adminstration Tools

Eliminate excessive downtime with Brother networking administration tools (BRAdmin Professional software) which provides status monitoring and configuration capabilities.

CONNECTIVITY

Connect Wirelessly

Connect your mobile device to your machine effortlessly with one-touch wireless set-up.

Simply connect your machine to any WiFi compatible mobile device without the need for a router or hotspot, and you are ready to print from or scan to your mobile device directly. WiFi direct makes it easy to print emails, webpages and documents

Mobile Print

Use the iPrint&Scan app, Apple Airprint or Google Cloud Print to print and scan straight from your iPhone, iPad, Android $^{\text{TM}}$ device or Windows $^{\text{®}}$ Mobile.

Web Connect*

Print from or scan to a range of cloud-based services such as Box, OneDrive, Google Drive $^{\text{TM}}$, EVERNOTE $^{\text{@}}$, Dropbox, Facebook, Flickr $^{\text{@}}$ or Picasa $^{\text{TM}}$ straight from your Multi-Function Centre.



Brother's Apps*

Experience efficiency on a new level with an ever-evolving range of applications that adds greater flexibility and productivity to the way you work.

*Only available for MFC-L2740DW







Conoral	HL-L2365DW	MFC-L2700DW	MFC-L2740DW	
General Memory	01	MAD.	CAMP	
Interface	32	MB Hi-Speed 2.0	64MB	
		п-эрееа 2.0		
Network	10Base-T/100Base-TX, IEF	EE 802.11b/g/n (Infrastructure Mode/Ad-hoc Mode) II	EEE 802.11g/n (Wi-Fi Direct)	
Mobile Print		Brother iPrint&Scan, AirPrint, Google Cloud Print		
Emulation	PCL6	_	PCL6, BR-Script3	
Security Features	_	_	Secure Print & Secure Function Lock 3.0	
Control Panel	16 characters x 1 line LCD	16 characters x 2 lines LCD	2.7" Touch Screen Colour LC	
Toner Save Mode		Save toner by printing documents in toner save mod	e	
Print Function				
Print Speed A4		Up to 30ppm		
2-Sided Print		Automatic		
Print Resolution		600 x 600 dpi, HQ1200 (2400 x 600 dpi) quality		
First Print Out Time (From ready mode)	7	<8.5 secs	:10	
Warm-up time (From sleep mode)	<7 secs	<9 secs	<10 secs	
Copy Function Copy Speed	_			
Copy Speed Copy Resolution	_	Up to 3		
First copy out time	_	600 x 6		
Multi-Copy	_	Yes (Up		
2-Sided Copy	_		Automatic	
. ,		Alleura the recent of communication		
N-in-1 Copying	_	Allows the user to compress 2 o	r 4 pages onto a single A4 sheet	
Scan Function				
		Scanner glass: Up		
Scan Resolution	_	ADF: Up to 6	•	
		Enhanced: Up to 1	9,200 x 19,200 dpi	
2-Sided Scan	_	Manual	Automatic with Dual CIS Scanner	
Scan Functions	_	Enables users to scan documents to E-mail,	Enables users to scan documents to E-mail, Image, OCR, Fil	
		Image, OCR , File and Sharepoint (PC only)	FTP, Email Server (by download) and Sharepoint (PC only)	
Fax Function				
Modem Speed	_	33.6		
Internet Fax***	_	_	Fax documents anywhere in the world over	
Speed & Group Dial	_	Up to 200 speed locati	the Internet without the use of a telephone line ons and up to 20 groups	
		LID to 400 pages** (ITU-T Test Chart, Standard		
Out-of-paper reception	_	Up to 400 pages** (110-1 lest Chart, Standard Resolution, JBIG)	Up to 500 pages** (ITU-T Test Chart, Standard Resolution, JBIG)	
Media Specifications				
Media Types	Standard paper tray - Plain paper, Thin Paper, Recycled Paper	Standard paper tray - Plain paper, Thin Paper, Recycled Paper ADF (Automatic Document Feeder) - Plain Paper, Recycled Paper		
Media Capacity	OFO shoot standard paper tray	250-sheet stan	dard paper tray	
	250-sheet standard paper tray 1-sheet manual feed slot	1-sheet manual feed slot 35-sheet ADF (Automatic Document Feeder)		
	1-sheet manual leed slot			
Media Sizes	Standard tray - A4, Letter, B5(JIS)*, A5, A5 (Long Edge), A6, Executive, Legal,	Standard tray - A4, Letter, B5(JIS)*, A5, A5 (Long Edge), A6, Executive, Legal, Folio *B5 (JIS) is only for TWN.		
Wodia 01200			15.9 mm, Length 147.3 to 355.6 mm	
Danar Outnut				
		100 sheet	ini, Lengur 147.3 to 333.0 mm	
Support Operating System		100-sheet	iiii, Leiigui 147.3 to 333.6 mm	
Support Operating System Windows®	(Network only), Serve	100-sheet dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20	dition, Server 2003 8 (Network only),	
Support Operating System Windows®	(Network only), Serve	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20	dition, Server 2003 8 (Network only), 12 R2(Network only)	
Support Operating System Windows® Macintosh	(Network only), Serve	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux***	(Network only), Serve	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x	dition, Server 2003 8 (Network only), 12 R2(Network only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions	(Network only), Serve	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light	(Network only), Serve	dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management	(Network only), Serve	dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet Web browser print server management	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter	(Network only), Serve	dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH)	(Network only), Serve	dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet Web browser print server management	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton	(Network only), Serve Server 2008 R2 (Network — —	dition, XP Professional Edition, XP professional x64 Eer 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet Web browser print server management IP address based access restriction (lpv4 only)	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton Without Carton	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet Web browser print server management IP address based access restriction (Ipv4 only) 567 x 517 x 435mm / 14.4kg	dition, Server 2003 B (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IIP filter Dimensions (WxDxH) With Carton Without Carton Supplies	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (For LAN/WAN management of your printer fleet Web browser print server management IP address based access restriction (Ipv4 only) 567 x 517 x 435mm / 14.4kg	dition, Server 2003 B (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IIP filter Dimensions (WxDxH) With Carton Without Carton Supplies Inbox Toners High Yield Toners	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), S	dition, Server 2003 8 (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IIP filter Dimensions (WxDxH) With Carton With Carton Supplies Inbox Toners High Yield Toners Other Supplies	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (I be served by the	dition, Server 2003 B (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton Without Carton Supplies Inbox Toners	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), S	dition, Server 2003 B (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton Without Carton Supplies Inbox Toners High Yield Toners Other Supplies Environment Power Consumption	(Network only), Server 2008 R2 (Network — — — 441 x 286 x 504mm / 7.9kg	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), S	dition, Server 2003 8 (Network only), 112 R2(Network only) , 10.9.x (Download only) x86/x64 environment)	
Support Operating System Windows® Macintosh Linux*** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton Without Carton Supplies Inbox Toners High Yield Toners Other Supplies	(Network only), Server Server 2008 R2 (Network Server 2008 R2 (Network — — — — — — — — — — — — — — — — — — —	dition, XP Professional Edition, XP professional x64 E er 2003 x64 Edition (Network only), Vista, Server 2008 only), 7, 8, 8.1, Server 2012(Network only), Server 20 Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (Mac OS X v10.7.5, 10.8.x CUPS, LPD/LPRng (Mac OS X v10.7.5), LPD/LPRn	dition, Server 2003 8 (Network only), 12 R2(Network only) , 10.9.x (Download only) x86/x64 environment) 567 x 517 x 435mm / 14.8kg 409 x 398 x 316.5mm / 11.8kg	





One-stop centre for free downloadable templates





Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886







