





Delivering ease-of-use and powerful performances each and every time.

Brother brings you best-of-class range of scanners that combines form and function into one reliable machine. Designed for exceptional usability at home, in the office or on the road, it offers fast, high quality scanning that optimizes productivity.

FAST, HIGH QUALITY SCANNING!

With the capacity to scan up to 24 pages per minute (ppm) and 48 images per minute (ipm) at 1,200 dpi, colour documents can be scanned just as quickly as black-and-white. Plus, 2-sided documents are scanned at the same speed as single-sided pages.

AS EASY AS 1-2-3!

Located on the front of the scanners for quick access, the operation panel could not be easier to use! With 'one-touch' scanning technology, you can start, stop, and resume scanning operations at the touch of a button.

PACKED WITH ADVANCED' FEATURES

In addition to detecting and removing blank pages, these smart scanners also allow you to eliminate unnecessary background. Placed the image the wrong way up? No worries, the auto rotate and de-skew will take care of it. You can also scan a high volume of pages with the continuous scanning mode. For scanning of large documents, the innovative 2-in-1 mode stiches two images into one.

*Applicable to ADS-1100W, ADS-1600W, ADS-2100 and ADS-2600W only

BUNDLED SOFTWARE

Brother scanners come bundled with a comprehensive software suit to help enhance your workflow efficiency and productivity. Empowering you to easily digitalise, manage and retrieve your documents!

WINDOWS

Nuance™ PDF Converter Professional 7/8

Create, convert, re-assemble and share searchable PDF files.

Nuance™ PaperPort™ 12SE

Scan into PDF files for simple management of documents and allows viewing, editing and sharing variety of document types.

Presto! BizCard 6

Scan and convert business cards data into a searchable digital database that can be shared with desktop organisers, contact managers and more

Control Center 4

Customise the settings to have easy access to the machine's main functions

Button Manager V2

Configure several scan options using the direct scan button and send files directly to specified application.

DSmobileCapture

A utility to capture and view scanned documents from the mobile scanner.

MAC

Presto! PageManager 9

Scan and organise digitised files. View, edit, send and save files as searchable PDF, HTML, RTF or TXT files.

Presto! BizCard 5/6

Scan and convert business cards data into a searchable digital database that can be shared with desktop organisers, contact managers and more

Control Center 2

Customise the settings to have easy access to the machine's main functions

DSmobileCapture

A utility to capture and view scanned documents from the mobile scanner.

THE BUSINESS CLASS

FOR THE DEMANDING PROFESSIONAL!

The innovative space-saving design coupled with top-of-the range speed make this the perfect work partner for your busy office environment! Fast and reliable, it lets you enjoy error-free scanning for multiple documents. Along with outstanding imaging quality and ease-of-use, it effectively delivers top-of-the-class document capture benefits to please the most demanding professional.















mobile, cloud and USB

ADS-2600W

FEATURES

- 24ppm/48ipm
- · 2-sided scanning in a single pass
- 50 sheet Automatic Document Feeder
- 9.3cm colour LCD touchscreen
- Wireless and wired network connectivity
- Scan to USB flash memory, mobile device (Android and iOS) and Cloud service
- Ultrasonic Multi-feed Detection ensures error-free multipage document scanning
- Carrier sheet mode: Plastic pocket for scanning irregular sized or damaged documents
- TWAIN, WIA & ISIS drivers for seamless integration

BUNDLED SOFTWARE

Windows:

Nuance[™] PaperPort[™] 12 SE, Presto! BizCard 6, Control Center 4, Nuance™ PDF Converter Professional 7

Presto! PageManager 9, Presto! BizCard 5, Control Center 2





up to 2.5 2-sided seconds per in single pass page







ADS-2100

FEATURES

- 24ppm/48ipm
- 2-sided scanning in a single pass
- 50 sheet Automatic Document Feeder
- Scan to USB flash memory
- Ultrasonic Multi-feed Detection ensures error-free multipage document scanning
- Carrier sheet mode: Plastic pocket for scanning irregular sized or damaged documents
- TWAIN, WIA & ISIS drivers for seamless integration

BUNDLED SOFTWARE

Windows:

Nuance[™] PaperPort[™] 12 SE, Presto! BizCard 6, Control Center 4, Nuance™ PDF Converter Professional 7

Presto! PageManager 9, Presto! BizCard 5, Control Center 2

THE EXECUTIVE CLASS

FOR THE BUSY GO-GETTER!

This versatile scanner increases productivity with reliable, efficient and sharp image reproduction. Packed with powerful features, its user-friendly design and compact form factor makes it the ideal choice for the home or office environment.









Wireless 2-sided connectivity in single pass



20 page ADF



6.8 cm colour LCD touchscreen



mobile, cloud and USB

ADS-1600W

FEATURES

- 18ppm/36ipm
- 2-sided scanning in a single pass
- 6.8cm colour LCD touchscreen
- Built in wireless connectivity
- Scan to USB flash memory, mobile device (Android and iOS) and Cloud service
- Dedicated Plastic ID card slot for easy ID scanning
- 20 page Automatic Document Feeder
- TWAIN, WIA & ISIS drivers for seamless integration

BUNDLED SOFTWARE

Nuance[™] PaperPort[™] 12 SE, Presto! BizCard 6, Control Center 4, Nuance™ PDF Converter Professional 8

Presto! PageManager 9, Presto! BizCard 6, Control





up to 4

Wireless connectivity in single pass



2-sided



Touch

control panel



USB flash

ADS-1100W

FEATURES

- 16ppm/32ipm
- 2-sided scanning in a single pass
- Touch sensitive control panel
- Built in wireless connectivity
- Scan to USB flash memory and mobile device (Android and iOS)
- Dedicated Plastic ID card slot for easy ID scanning
- 20 page Automatic Document Feeder
- TWAIN, WIA & ISIS drivers for seamless integration

BUNDLED SOFTWARE

Windows:

Nuance™ PaperPort™ 12 SE, Presto! BizCard 6, Control Center 4

Presto! PageManager 9, Presto! BizCard 6, Control Center 2

THE ULTRA COMPACT CLASS

FOR THE MOBILE ROAD WARRIOR!

Bringing you big features in small packages, the DS-620/DS-720D's ease-of-use and quality imaging brings sophistication to your work. Easy to bring around, just slide it into your bag and be on your way to the next business meeting!







powered







DS-720D

FEATURES

- 7.5ppm (8 seconds per page)
- Duplex 5ppm
- Weighs only 500g
- 2-sided scanning in a single pass
- USB powered
- TWAIN driver for seamless integration

BUNDLED SOFTWARE

Windows:

Nuance[™] PaperPort[™] 12 SE, Presto! BizCard 6, Button Manager V2, DSmobileCapture

Presto! PageManager 9, Presto! BizCard 6, **DSmobileCapture**









DS-620

FEATURES

- 7.5ppm (8 seconds per page)
- Weighs only 400g
- USB powered
- TWAIN driver for seamless integration

BUNDLED SOFTWARE

Windows:

Nuance[™] PaperPort[™] 12 SE, Presto! BizCard 6, Button Manager V2, DSmobileCapture

Presto! PageManager 9, Presto! BizCard 6, **DSmobileCapture**







ADS-2100

ADS-2600W

GENERAL			
Technology	Dual CIS (Conta	Dual CIS (Contact Image Sensor)	
Memory	25	256 MB	
Interface	USB 2.0 Hi-Speed USB Host	USB 2.0 Hi-Speed Wired LAN 10/100 Base-TX Wireless 802.11b/g/n USB Host	
Control Button / Display	Scan to PC key (with LED) Scan to USB key (with LED) Stop key	3.7" Touch Panel LCD	
NETWORK			
Wireless Set Up	-	WPS, AOSS	
Standard Wireless Security	-	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)	
SCANNING			
Scanning Modes	Colour, greyscale (25)	Colour, greyscale (256 levels) & monochrome	
Color Depth (Int. / Ext.)	30-bit internal	30-bit internal & 24-bit external	
Monochrome & Colour Scan Speed (A4, up to 300 dpi)	Up to	Up to 24ppm	
2-sided Monochrome & Colour Scan Speed (A4, up to 300 dpi)	Up to 24p	Up to 24ppm, 48ipm	
Scan Resolution : Optical / Interpolated	Up to 600 x 600 dpi /	Up to 600 x 600 dpi / Up to 1,200 x 1,200 dpi	
Supported File Formats	JPEG, TIFF & PDF (standard, archive (PD	DF/A), searchable and password protected)	
Scan to Destinations	USB, E-mail, OCR, File, Image & SharePoint*	USB, E-mail, OCR, File, Image, FTP, E-mail Server, Mobile Devices, SharePoint*,Network Folder & Cloud	
SCANNER DRIVER			
Windows®	ISIS, TWAIN & WIA (Windows 8, Wine	ISIS, TWAIN & WIA (Windows 8, Windows 7, Windows Vista & Windows XP)	
Macintosh	TWAIN & ICA (Mac OS	TWAIN & ICA (Mac OS X v10.7.5, 10.8x, 10.9x)	
Linux	SANE (Free download fron	SANE (Free download from http://support.brother.com)	
PAPER HANDLING			
Paper Input	Up to 8	Up to 50 sheets	
Custom Paper Sizes	Between 51mm to 215.9mm in w	Between 51mm to 215.9mm in width & 70mm to 355.6mm in length	
Long Paper Scanning	Yes, up to 215.9mm wide	Yes, up to 215.9mm wide & 863mm long (1 at a time)	
Paper Weights	52 to 110g/m2 for multiple sheets and	52 to 110g/m2 for multiple sheets and 52 to 200g/m2 for single sheet scanning	
Dedicated Plastic ID Card Slot		-	
Carrier Sheet Mode		Transparent plastic pocket used to scan irregular sized documents or damaged paper types	
BUNDLED SOFTWARE			
Windows	Presto! Nuance™ Pa	Brother Control Center 4 Presto! BizCard 6 Nuance™ PaperPort™ 12SE Nuance™ PDF Converter Professional 7	
Mac	Presto!	Brother Control Center 2 Prestol BizCard 5 Prestol PageManager 9	
ENVIRONMENT			
Power Consumption	Ready: 7.0W, Scanning: 18W, Deep Sleep: 1.5W	Ready: 4.0W, Scanning: 20W, Deep Sleep 2.0W	
Power Source	220-240V A	220-240V AC 50 / 60 Hz	
DIMENSION / WEIGHT			
Dimension (WxDxH) / Weight (Machine only)	299 x 220 x 179 mm / 3.3 kg	299 x 220 x 179 mm / 3.6 kg	
ADDITIONAL SUPPLIES & ACCESSORIES		•	
Separation Pad	SP-A0001	SP-A0001	
Precision Roller	PUR-A0001	PUR-A0001	
Carrier Sheet / Plastic Card Carrier Sheet	CS-A3001 / CS-CA001	CS-A3001 / CS-CA001	

^{*} Requires software that comes bundled with the machine









ADS-1100W

ADS-1600W

DS-620

DS-720D

Dual CIS (Contact Image Sensor)		CIS (Contact Image Sensor)	Dual CIS (Contact Image Sensor)	
128 MB	256 MB	-	-	
USB 2.0 Hi-Speed Wireless 802.11b/g/n USB Host		USB 2.0 Hi-Speed		
Electrostatic panel	2.7" Touch Panel LCD	One Touch Scan Button		
WIDO	A000			
WPS, AOSS		<u>-</u>	-	
WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)		-	-	
0.1		0.1	(A) '	
	levels) & monochrome	Colour, greyscale (16/8bits) & monochrome		
30-bit internal 8	& 24-bit external	48-bit internal 8	48-bit internal & 24-bit external	
Up to 16ppm	Up to 18ppm	Up to 7	7.5 ppm	
Up to 16ppm, 32ipm	Up to 18ppm, 36ipm	-	Up to 5ppm, 10ipm	
Up to 600 x 600 dpi / l	Jp to 1,200 x 1,200 dpi	Up to 600 x 600 dpi / Up to 1,200 x 1,200 dpi		
JPEG, TIFF & PDF (standard, archive (PD	F/A), searchable and password protected)	JPEG, TIFF, BMP, GIF, (PNG Button Manager only) & PDF (standard and searchable*)		
USB, E-mail, OCR, File, Image, FTP, Mobile Devices, SharePoint*	USB, E-mail, OCR, File, Image, FTP, E-mail Server, Mobile Devices, SharePoint*, Network Folder & Cloud	Image, E-mail, file, app, printer, shared network folder, OCR, FTP & SharePoint*		
ISIS, TWAIN & WIA (Windows 8, Wind	ISIS, TWAIN & WIA (Windows 8, Windows 7, Windows Vista & Windows XP)		TWAIN (Windows 8, Windows 7, Windows Vista & Windows XP)	
TWAIN & ICA (Mac OS	X v10.7.5, 10.8x, 10.9x)	TWAIN (Mac OS X v10.7.5, 10.8x, 10.9x)		
SANE (Free download from	http://support.brother.com)	SANE (Free download from http://support.brother.com)		
Lin to 2	Up to 20 sheets		heet	
<u> </u>	·		Between 55mm - 215.9mm in width &	
Between 51mm - 215.9mm in width & 70mm - 297mm in length Yes, up to 215.9mm wide & 863mm long (1 at a time)		Between 55mm - 215.9mm in width & 90mm - 812.8mm long (1 side scan)	90mm - 812.8mm long (1 side scan) Between 55mm - 215.9mm in width & 90mm - 406.4mm long (2 sided scan)	
52 to 110g/m2 for multiple sheets and	52 to 200g/m2 for single sheet scanning	Between 60 g/m2 & 105 g/m2		
Y	Yes		-	
-	-	-	-	
Brother Control Center 4 Presto! BizCard 6 Nuance™ PaperPort™ 12SE Nuance™ PDF Convertor Professional 8 (ADS-1600W only)		DSmobileCapture Button Manager V2 Nuance™ PaperPort™ 12SE Presto! BizCard 6		
Brother Control Center 2 Presto! BizCard 6 Presto! PageManager 9		DSmobileCapture Presto! BizCard 6 Presto! PageManager 9		
Ready 4 NW Scanning	14W Deen Sleen: 1 5W	Roady 1 OW 9	Scanning: 2.5W	
Ready: 4.0W, Scanning: 14W, Deep Sleep: 1.5W		Ready: 1.0W, Scanning: 2.5W USB bus-power 5V DC		
AC: 100-240V, 50/60 Hz DC: 24V, 1A		Opp bras-bowel by Dio		
285 x 103 x 84 mm / 1.5 kg	285 x 103 x 84 mm / 1.6 kg	290.5 x 52.5 x 36.7 mm / 0.4 kg	290.5 x 66.9 x 40.7 mm / 0.5 kg	
SP-C0001	SP-C0001	-	-	
PUR-C0001	PUR-C0001	-	-	
-	-		_	





www.brother.co.za http://solutions.brother.com

Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



