




New **MOSAIC**
A D D I T I O N S

 ADEXUSA




RECTANGLE OFFSET 1.2" X 3.8" | MESH MOUNTED


GLOSSY FINISH




ADMZ800 10.39" x 11.81"
Rectangle Offset White




ADMB800 10.39" x 11.81"
Rectangle Offset Light Blue




ADMD800 10.39" x 11.81"
Rectangle Offset Denim




ADMTE800 10.39" x 11.81"
Rectangle Offset Teal




ADMSA800 10.39" x 11.81"
Rectangle Offset Sage




ADMG800 10.39" x 11.81"
Rectangle Offset Light Gray



ADMT800 10.39" x 11.81"
Rectangle Offset Taupe




ADMS800 10.39" x 11.81"
Rectangle Offset Light Smoke




ADMK800 10.39" x 11.81"
Rectangle Offset Black

MATTE FINISH



ADMZM800 10.39" x 11.81"
Rectangle Offset White Matte



ADMKM800 10.39" x 11.81"
Rectangle Offset Black Matte


DENIM **ADMD800**





RECTANGLE HERRINGBONE 1.2" X 3.8" | MESH MOUNTED

GLOSSY FINISH




ADMZ801 11.02" x 11.14"
Rectangle Herringbone White



ADMB801 11.02" x 11.14"
Rectangle Herringbone Light Blue



ADMD801 11.02" x 11.14"
Rectangle Herringbone Denim




ADMTE801 11.02" x 11.14"
Rectangle Herringbone Teal




ADMSA801 11.02" x 11.14"
Rectangle Herringbone Sage



ADMG801 11.02" x 11.14"
Rectangle Herringbone Light Gray




ADMT801 11.02" x 11.14"
Rectangle Herringbone Taupe




ADMS801 11.02" x 11.14"
Rectangle Herringbone Light Smoke


MATTE FINISH



ADMK801 11.02" x 11.14"
Rectangle Herringbone Black



ADMZM801 11.02" x 11.14"
Rectangle Herringbone White Matte



ADMKM801 11.02" x 11.14"
Rectangle Herringbone Black Matte

WHITE MATTE ADMZM801





FIELD TILES		
SIZE	SIZE SPECIFICATIONS	THICKNESS*
MESH MOUNTED		
Rectangle Offset 1.2" x 3.8" 10.39" x 11.81"	10.39" x 11.81" (264mm x 300mm)	0.276" (7mm)
Rectangle Herringbone 1.2" x 3.8" 11.02" x 11.14"	11.02" x 11.14" (280mm x 283mm)	0.276" (7mm)

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	NO	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces (Non Freeze-Thaw Climates)	YES	YES
Pool Waterlines / Water Fountains (Non Freeze-Thaw Climates)	YES	YES
Floors**	YES	NO
PERFORMANCE CHARACTERISTICS		
	TEST METHOD ASTM / ISO	RESULT
Water Absorption	C-373 / 10545-3	Pass
Breaking Strength	C-648 / 10545-4	N/A
Stain Resistance	C-1378 / 10545-14	Resistant
Facial Dimensions	C-499 / 10545-2	Avg. 18.741mm
Range of Thickness	C-499 / 10545-2	Avg. 4.924mm
Warpage	C-485 / 10545-2	0

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
1/8"	V2 - Slight Variation

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid with subtle movement
Surface Sheen	Glossy and Matte
Texture	Slightly Undulated

*Thickness is understood as the highest point of the tile.
** Only Matte Colors (White and Black) and for residential use.
Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



CONTACT US

Corporate Headquarters South East Distribution Center

9450 N.W. 12th St.
Miami, FL 33172
Office: 305-513-4633
Fax: 305-513-4634
customerservice@adexusa.com

West Coast Distribution Center

1745 N. St. Thomas Cir.
Orange, CA 92865
Office: 714-773-0197
Fax: 714-773-9352
customerservicewest@adexusa.com

North East Distribution Center

1000 Wall St. W.
Lyndhurst, NJ 07071
Office: 201-355-8772
Fax: 201-636-2802
customerservicene@adexusa.com

www.adexusa.com

